

Specification for Flux and Electrode Combinations for Submerged Arc and Electroslag Joining and Surfacing of Stainless Steel and Nickel Alloys



AWS A5.39/A5.39M:2026
An American National Standard

Approved by the
American National Standards Institute
March 23, 2026

Specification for Flux and Electrode Combinations for Submerged Arc and Electroslag Joining and Surfacing of Stainless Steel and Nickel Alloys

2nd Edition

Revises AWS A5.39/A5.39M:2020

Prepared by the
American Welding Society (AWS) A5 Committee on Filler Metals and Allied Materials

Under the Direction of the
AWS Technical Activities Committee

Approved by the
AWS Board of Directors

Abstract

This specification prescribes the requirements for the classification of flux-electrode combinations used with submerged arc or electroslag joining or surfacing using stainless steel and nickel alloys. Electrode classification is per AWS A5.9/A5.9M for solid stainless steel electrodes, A5.14/A5.14M for solid nickel-alloy electrodes, A5.22/A5.22M for cored stainless steel electrodes and A5.34/A5.34M for cored nickel-alloy electrodes. Flux-electrode joining classification is based on the mechanical properties and the composition of weld metal produced with the flux and a specific electrode. Flux-electrode surfacing classification is based on the composition of the weld metal produced with the flux and a specific electrode. The form and usability of the flux are also included. A guide is appended to the specification as a source of information concerning the classification system employed and the intended use of submerged arc and electroslag fluxes and electrodes.

This specification makes use of both US Customary Units and the International System of Units (SI). Since these are not equivalent, each system must be used independently of the other.



ISBN Print: 978-1-64322-449-7
ISBN PDF: 978-1-64322-450-3
© 2026 by American Welding Society
All rights reserved
Printed in the United States of America

Photocopy Rights. No portion of this standard may be reproduced, stored in a retrieval system, or transmitted in any form, including mechanical, photocopying, recording, or otherwise, without the prior written permission of the copyright owner.

Authorization to photocopy items for internal, personal, or educational classroom use only or the internal, personal, or educational classroom use only of specific clients is granted by the American Welding Society provided that the appropriate fee is paid to the Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923, tel: (978) 750-8400; Internet: <www.copyright.com>.

Statement on the Use of American Welding Society Standards

All standards (codes, specifications, recommended practices, methods, classifications, and guides) of the American Welding Society (AWS) are voluntary consensus standards that have been developed in accordance with the rules of the American National Standards Institute (ANSI). When AWS American National Standards are either incorporated in, or made part of, documents that are included in federal or state laws and regulations, or the regulations of other governmental bodies, their provisions carry the full legal authority of the statute. In such cases, any changes in those AWS standards must be approved by the governmental body having statutory jurisdiction before they can become a part of those laws and regulations. In all cases, these standards carry the full legal authority of the contract or other document that invokes the AWS standards. Where this contractual relationship exists, changes in or deviations from requirements of an AWS standard must be by agreement between the contracting parties.

AWS American National Standards are developed through a consensus standards development process that brings together volunteers representing varied viewpoints and interests to achieve consensus. While AWS administers the process and establishes rules to promote fairness in the development of consensus, it does not independently test, evaluate, or verify the accuracy of any information or the soundness of any judgments contained in its standards.

AWS disclaims liability for any injury to persons or to property, or other damages of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, or reliance on this standard. AWS also makes no guarantee or warranty as to the accuracy or completeness of any information published herein.

In issuing and making this standard available, AWS is neither undertaking to render professional or other services for or on behalf of any person or entity, nor is AWS undertaking to perform any duty owed by any person or entity to someone else. Anyone using these documents should rely on his or her own independent judgment or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances. It is assumed that the use of this standard and its provisions is entrusted to appropriately qualified and competent personnel.

This standard may be revised, corrected through publication of amendments or errata, or supplemented by publication of addenda. Information on the latest editions of AWS standards including amendments, errata, and addenda is posted on the AWS web page (www.aws.org). Users should ensure that they have the latest edition, amendments, errata, and addenda.

Publication of this standard does not authorize infringement of any patent or trade name. Users of this standard accept any and all liabilities for infringement of any patent or trade name items. AWS disclaims liability for the infringement of any patent or product trade name resulting from the use of this standard.

AWS does not monitor, police, or enforce compliance with this standard, nor does it have the power to do so.

Official interpretations of any of the technical requirements of this standard may only be obtained by sending a request, in writing, to the appropriate technical committee. Such requests should be addressed to the American Welding Society, Attention: Managing Director, Standards Development, 8669 NW 36 St, # 130, Miami, FL 33166 (see Annex C). With regard to technical inquiries made concerning AWS standards, oral opinions on AWS standards may be rendered. These opinions are offered solely as a convenience to users of this standard, and they do not constitute professional advice. Such opinions represent only the personal opinions of the particular individuals giving them. These individuals do not speak on behalf of AWS, nor do these oral opinions constitute official or unofficial opinions or interpretations of AWS. In addition, oral opinions are informal and should not be used as a substitute for an official interpretation.

This standard is subject to revision at any time by the AWS A5 Committee on Filler Metals and Allied Materials. It must be reviewed every five years, and if not revised, it must be either reaffirmed or withdrawn. Comments (recommendations, additions, or deletions) and any pertinent data that may be of use in improving this standard are requested and should be addressed to AWS Headquarters. Such comments will receive careful consideration by the AWS A5 Committee on Filler Metals and Allied Materials and the author of the comments will be informed of the Committee's response to the comments. Guests are invited to attend all meetings of the AWS A5 Committee on Filler Metals and Allied Materials to express their comments verbally. Procedures for appeal of an adverse decision concerning all such comments are provided in the Rules of Operation of the Technical Activities Committee. A copy of these Rules can be obtained from the American Welding Society, 8669 NW 36 St, # 130, Miami, FL 33166.

This page is intentionally blank.

Personnel

AWS A5 Committee on Filler Metals and Allied Materials

R. V. Decker, Chair	<i>Weldstar</i>
M. F. Sinfield, Vice Chair	<i>Naval Surface Warfare Center</i>
B. A. Pletcher, 2 nd Vice Chair	<i>Bechtel Global Corporation</i>
K. R. Bulger, Secretary	<i>American Welding Society</i>
T. Anderson	<i>ITW—Miller Electric Manufacturing Company</i>
A. Boulianne	<i>Canadian Welding Bureau</i>
J. C. Bundy	<i>Hobart Brothers Company</i>
J. L. Caron	<i>Haynes International, Incorporated</i>
G. L. Chouinard	<i>WSI, an Avail Infrastructure Company</i>
T. J. Eckardt	<i>Duke Energy</i>
D. A. Fink	<i>Consultant</i>
R. J. Fox	<i>Hobart Brothers LLC</i>
M. James	<i>The Lincoln Electric Company</i>
S. J. Knostman	<i>Hobart Brothers Company</i>
L. G. Kvidahl	<i>Consultant</i>
F. B. Lake	<i>ESAB</i>
J. S. Lee	<i>Consultant</i>
C. McEvoy	<i>Naval Nuclear Laboratories—Knolls Atomic Power Laboratory</i>
T. Melfi	<i>The Lincoln Electric Company</i>
W. C. Mosier	<i>Polymet Corporation</i>
T. C. Myers	<i>Consultant</i>
K. J. Roossinck	<i>Ingalls Shipbuilding</i>
K. Sampath	<i>Consultant</i>
J. D. Schaefer	<i>Consolidated Nuclear Security</i>
J. B. Schaeffer	<i>The Lincoln Electric Company</i>
D. Singh	<i>Consultant</i>
R. C. Sutherlin	<i>Richard Sutherlin PE Consulting LLC</i>
H. D. Wehr	<i>Arcos Industries</i>
J. Zhang	<i>Consultant</i>

AWS A5B Subcommittee on Carbon and Low Alloy Steel Electrodes and Fluxes for Submerged Arc Welding

T. Melfi, Chair	<i>The Lincoln Electric Company</i>
A. Boulianne, Vice Chair	<i>Canadian Welding Bureau</i>
K. R. Bulger, Secretary	<i>American Welding Society</i>
H. A. Beck	<i>Harberts Products Inc</i>
R. J. Fox	<i>Hobart Brothers LLC</i>
B. D. Gaal	<i>Special Metals</i>
J. Procario	<i>The Lincoln Electric Company</i>

AWS A5D Subcommittee on Stainless Steel Filler Metals

F. B. Lake, Chair	<i>ESAB</i>
K. R. Bulger, Secretary	<i>American Welding Society</i>
K. Balas	<i>Select-Arc Inc</i>
M. E. Barrett	<i>Westinghouse</i>
R. V. Decker	<i>Weldstar</i>
M. D. Denault	<i>ESAB Specialty Alloys</i>
T. J. Eckhardt	<i>Duke Energy</i>
M. James	<i>The Lincoln Electric Company</i>
S. J. Knostman	<i>Hobart Brothers Company</i>
H. D. Wehr	<i>Arcos Industries</i>
A. Zaddach	<i>The Lincoln Electric Company</i>
J. M. Zawodny	<i>Arcos Industries</i>

Advisors to the AWS A5D Subcommittee on Stainless Steel Filler Metals

A. Boulianne	<i>Canadian Welding Bureau</i>
J. G. Feldstein	<i>Consultant</i>
S. R. Jana	<i>Consultant</i>
B. L. Kahut	<i>Select-Arc Inc</i>
R. G. Miller	<i>UT – Battelle</i>
J. P. Roberts	<i>Huntington Ingalls Industries</i>
S. Williams	<i>Arcos Industries</i>

AWS A5E Subcommittee on Nickel and Nickel-Alloy Filler Metals

M. E. Barrett, Chair	<i>Westinghouse</i>
B. D. Gaal, Vice Chair	<i>Special Metals</i>
K. R. Bulger, Secretary	<i>American Welding Society</i>
J. L. Caron	<i>Haynes International, Incorporated</i>
G. S. Clark	<i>VDM Metals USA, LLC</i>
M. D. Denault	<i>ESAB Specialty Alloys</i>
R. D. Gollihue	<i>Special Metals Corporation</i>
D. D. Kiilunen	<i>Cor-Met Inc</i>
F. B. Lake	<i>ESAB</i>
J. S. Lee	<i>Consultant</i>
J. R. Logan	<i>HII</i>
T. Melfi	<i>The Lincoln Electric Company</i>
J. J. Perdomo	<i>Stress Engineering Services Inc.</i>
B. A. Pletcher	<i>Bechtel Global Corporation</i>
V. B. Rajan	<i>The Lincoln Electric Company</i>
H. D. Wehr	<i>Arcos Industries</i>

Advisors to the AWS A5E Subcommittee on Nickel and Nickel-Alloy Filler Metals

J. J. DeLoach	<i>Consultant</i>
S. R. Jana	<i>Consultant</i>
W. E. Layo	<i>Midalloy</i>

Foreword

This foreword is not part of this standard but is included for informational purposes only.

This document is the second edition of the A5.39/A5.39M specification. It makes use of both US Customary Units and the International System of Units (SI). The measurements are not exact equivalents; therefore each system must be used independently of the other without combining values in any way.

In selecting rational metric units, AWS A1.1, *Metric Practice Guide for the Welding Industry*, and ISO 544, *Welding Consumables—Technical Delivery Condition for Filler Materials and Fluxes—Type of Products, Dimensions, Tolerances and Markings*, are used where suitable.

NOTE: The user's attention is called to the possibility that compliance with this standard may require use of an invention covered by patent rights.

By publication of this standard, no position is taken with respect to the validity of any such claim(s) or of any patent rights in connection therewith. If a patent holder has filed a statement of willingness to grant a license under these rights on reasonable and nondiscriminatory terms and conditions to applicants desiring to obtain such a license, then details may be obtained from the standards developer.

Substantive changes in this edition are shown in *italic font*. Alloys have been added and chemical compositions modified to reflect those that appear in recent editions of A5.4/A5.4M, A5.9/A5.9M, A5.22/A5.22M, A5.11/A5.11M, A5.14/A5.14M and A5.34/A5.34M. In addition, the chemical composition tables for stainless steels and nickel alloys have been reformatted for improved clarity.

Document Evolution

AWS A5.39/A5.39M:2020 *Specification for Flux and Electrode Combinations for Submerged Arc and Electroslag Joining and Surfacing of Stainless Steel and Nickel Alloys*

Comments and suggestions for the improvement of this standard are welcome. They should be sent to the Secretary, AWS A5 Committee on Filler Metals and Allied Materials, American Welding Society, 8669 NW 36 St # 130, Miami, FL 33166.

The welding terms used in this specification shall be interpreted in accordance with the definitions given in the latest edition of AWS A3.0M/A3.0, *Standard Welding Terms and Definitions* unless specifically defined in this standard.

This page is intentionally blank.

Table of Contents

	Page No.
<i>Personnel</i>	v
<i>Foreword</i>	vii
<i>List of Tables</i>	x
<i>List of Figures</i>	x
1. Scope	1
2. Normative References	1
3. Definitions	3
4. Classification	3
5. Acceptance	4
6. Certification	4
7. Rounding Procedure	4
8. Summary of Tests	5
9. Retest	5
10. Weld Test Assemblies	5
11. Chemical Analysis for Joining Designations	6
12. Radiographic Test for Joining Designations	6
13. Tension Test for Joining Designations	7
14. Impact Test for Joining Designations	7
15. Bend Test for Joining Designations	8
16. Method of Manufacture	8
17. Flux Requirements	8
Annex A (Normative)— Rules for Sample Preparation and Testing for Flux-Electrode Combinations Classified with Cladding Designations per A5.39/A5.39M.	27
Annex B (Informative)—Guide to AWS Specification for Flux and Electrode Combinations for Submerged Arc and Electroslag Joining and Surfacing of Stainless Steel and Nickel Alloys. . .	33
Annex C (Informative)—Requesting an Official Interpretation on an AWS Standard	41
AWS Filler Metal Specifications by Material and Welding Process	43
AWS Filler Metal Specifications and Related Documents	45

List of Tables

Table	Page No.
1. A5.39 Tension Test Requirements	10
1M. A5.39M Tension Test Requirements	10
2. Charpy Impact <i>Test</i> Requirements	11
3A. Chemical Composition Requirements for <i>Stainless Steel</i> Weld Metal	12
3B. <i>Chemical Composition Requirements for Nickel and Nickel-Alloy Weld Metal</i>	14
4. Tests Required for Joining Classifications.	16
5. Face Bend Specimen Thickness for Alloys with Minimum Elongation less than 20%.	16
6. Welding Parameters for Weld Test Assemblies	17
7. Base Metals for Test Assemblies	18
8. Preheat and Interpass Temperatures and Postweld Heat Treatment Conditions	19
A1. Tests Required for Cladding Classifications	29

List of Figures

Figure	Page No.
1. A5.39 Joining Classification System for US Customary Units	20
1M. A5.39M Joining Classification System for the International System of Units (SI).	21
2. Weld Pad for Chemical Analysis and Bend Testing of Weld Metal.	22
3. Groove Weld Test Assembly for Tension, Impact and Radiographic Tests	23
4. Longitudinal Face-Bend Test Specimen	24
5. Radiographic Standards for Rounded Indications	25
A1. A5.39 Cladding Classification System	30
A2. Weld Pad for Bend, Chemical Composition, and Radiographic Tests for CLAD1 Designator.	31
A3. Weld Pad for Bend, Chemical Composition, and Radiographic Tests for CLAD2 Designator.	31

Specification for Flux and Electrode Combinations for Submerged Arc and Electroslag Joining and Surfacing of Stainless Steel and Nickel Alloys

1. Scope

1.1 This specification prescribes requirements for the classification of flux-electrode combinations using submerged arc or electroslag welding. Flux-electrode joining classifications include requirements for soundness, mechanical properties and weld metal composition. Flux-electrode cladding classifications include requirements for soundness and weld metal composition. Electrode classification is per AWS A5.9/A5.9M for solid stainless steel electrodes, A5.14/A5.14M for solid nickel-alloy electrodes, A5.22/A5.22M for cored stainless steel electrodes and A5.34/A5.34M for cored nickel-alloy electrodes. *Solid electrodes include wire, strip and stranded electrodes, as described in A5.9/A5.9M and A5.14/A5.14M.*

1.2 This specification makes use of both US Customary Units and the International System of Units (SI). The measurements are not exact equivalents; therefore, each system must be used independently of the other without combining in any way when referring to weld metal properties. The specification with the designation A5.39 uses US Customary Units. The specification with the designation A5.39M uses SI units. The latter are shown within brackets [] or in appropriate columns in tables and figures. Standard dimensions based on either system may be used for the sizing of electrodes or packaging or both under specification A5.39 or A5.39M.

1.3 Safety and health issues and concerns are beyond the scope of this standard; some safety and health information is provided, but such issues are not fully addressed herein. Some safety and health information can be found in the nonmandatory annex, Clauses B5 and B10.

Safety and Health information is available from the following sources:

American Welding Society:

- (1) ANSI Z49.1, *Safety in Welding, Cutting, and Allied Processes*
- (2) AWS Safety and Health Fact Sheets
- (3) Other safety and health information on AWS website

Material or Equipment Manufacturers:

- (1) Safety Data Sheets supplied by material manufacturers
- (2) Operating Manuals supplied by equipment manufacturers

Applicable Regulatory Agencies:

Work performed in accordance with this standard may involve the use of materials that have been deemed hazardous and may involve operations or equipment that may cause injury or death. This standard does not purport to address all safety and health risks that may be encountered. The user of this standard should establish an appropriate safety program to address such risks as well as to meet applicable regulatory requirements. ANSI Z49.1 should be considered when developing the safety program.

2. Normative References

The documents listed below are referenced within this publication and are mandatory to the extent specified herein. For undated references, the latest edition of the referenced standard shall apply. For dated references, subsequent amendments or revisions of the publications may not apply since the relevant requirements may have changed.