

AWS B2.1/B2.1M:2021
An American National Standard

Specification for Welding Procedure and Performance Qualification



**AWS B2.1/B2.1M:2021
An American National Standard**

**Approved by the
American National Standards Institute
November 26, 2021**

Specification for Welding Procedure and Performance Qualification

7th Edition

Revises AWS B2.1/B2.1M:2014

Prepared by the
American Welding Society (AWS) B2 Committee on Procedure and Performance Qualification

Under the Direction of the
AWS Technical Activities Committee

Approved by the
AWS Board of Directors

Abstract

This specification provides the requirements for qualification of welding procedure specifications, welders, and welding operators for manual, semiautomatic, mechanized, and automatic welding. The welding processes included are electrogas welding, electron beam welding, electroslag welding, flux cored arc welding, gas metal arc welding, gas tungsten arc welding, laser beam welding, oxyfuel gas welding, plasma arc welding, shielded metal arc welding, stud arc welding, and submerged arc welding. Base metals, filler metals, qualification variables, welding designs, and testing requirements are also included.



ISBN Print: 978-1-64322-215-8
ISBN PDF: 978-1-64322-216-8
© 2021 by American Welding Society
All rights reserved
Printed in the United States of America

Photocopy Rights. No portion of this standard may be reproduced, stored in a retrieval system, or transmitted in any form, including mechanical, photocopying, recording, or otherwise, without the prior written permission of the copyright owner.

Authorization to photocopy items for internal, personal, or educational classroom use only or the internal, personal, or educational classroom use only of specific clients is granted by the American Welding Society provided that the appropriate fee is paid to the Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923, tel: (978) 750-8400; Internet: <www.copyright.com>.

Statement on the Use of American Welding Society Standards

All standards (codes, specifications, recommended practices, methods, classifications, and guides) of the American Welding Society (AWS) are voluntary consensus standards that have been developed in accordance with the rules of the American National Standards Institute (ANSI). When AWS American National Standards are either incorporated in, or made part of, documents that are included in federal or state laws and regulations, or the regulations of other governmental bodies, their provisions carry the full legal authority of the statute. In such cases, any changes in those AWS standards must be approved by the governmental body having statutory jurisdiction before they can become a part of those laws and regulations. In all cases, these standards carry the full legal authority of the contract or other document that invokes the AWS standards. Where this contractual relationship exists, changes in or deviations from requirements of an AWS standard must be by agreement between the contracting parties.

AWS American National Standards are developed through a consensus standards development process that brings together volunteers representing varied viewpoints and interests to achieve consensus. While AWS administers the process and establishes rules to promote fairness in the development of consensus, it does not independently test, evaluate, or verify the accuracy of any information or the soundness of any judgments contained in its standards.

AWS disclaims liability for any injury to persons or to property, or other damages of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, or reliance on this standard. AWS also makes no guarantee or warranty as to the accuracy or completeness of any information published herein.

In issuing and making this standard available, AWS is neither undertaking to render professional or other services for or on behalf of any person or entity, nor is AWS undertaking to perform any duty owed by any person or entity to someone else. Anyone using these documents should rely on his or her own independent judgment or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances. It is assumed that the use of this standard and its provisions is entrusted to appropriately qualified and competent personnel.

This standard may be revised, corrected through publication of amendments or errata, or supplemented by publication of addenda. Information on the latest editions of AWS standards including amendments, errata, and addenda is posted on the AWS web page (www.aws.org). Users should ensure that they have the appropriate edition, amendments, errata, and addenda.

Publication of this standard does not authorize infringement of any patent or trade name. Users of this standard accept any and all liabilities for infringement of any patent or trade name items. AWS disclaims liability for the infringement of any patent or product trade name resulting from the use of this standard.

AWS does not monitor, police, or enforce compliance with this standard, nor does it have the power to do so.

Official interpretations of any of the technical requirements of this standard may only be obtained by sending a request, in writing, to the appropriate technical committee. Such requests should be addressed to the American Welding Society, Attention: Managing Director, Standards Development (see Annex H). With regard to technical inquiries made concerning AWS standards, oral opinions on AWS standards may be rendered. These opinions are offered solely as a convenience to users of this standard, and they do not constitute professional advice. Such opinions represent only the personal opinions of the particular individuals giving them. These individuals do not speak on behalf of AWS, nor do these oral opinions constitute official or unofficial opinions or interpretations of AWS. In addition, oral opinions are informal and should not be used as a substitute for an official interpretation.

This standard is subject to revision at any time by the AWS B2 Committee on Procedure and Performance Qualification. It must be reviewed every five years, and if not revised, it must be either reaffirmed or withdrawn. Comments (recommendations, additions, or deletions) and any pertinent data that may be of use in improving this standard are requested and should be addressed to AWS Headquarters. Such comments will receive careful consideration by the AWS B2 Committee on Procedure and Performance Qualification and the author of the comments will be informed of the Committee's response to the comments. Guests are invited to attend all meetings of the AWS B2 Committee on Procedure and Performance Qualification to express their comments verbally. Procedures for appeal of an adverse decision concerning all such comments are provided in the Rules of Operation of the Technical Activities Committee. A copy of these Rules can be obtained from the American Welding Society, 8669 NW 36 St, # 130, Miami, FL 33166.

Dedication

The AWS B2 Committee dedicates the 2021 edition of B2.1/B2.1M, *Specification on Welding Procedure and Performance Qualification*, to Edward G. Yevick for his significant contribution to Welding Qualifications and Welding. A life member of AWS and a recipient of the Samuel Wylie Miller Award for outstanding efforts and contributions to welding. Mr. Yevick worked in the welding industry for 53 years. Positions in AWS held throughout his career include: Chairman of the Pittsburgh Section 1980/81, Chairman of D11 Committee on Welding Cast Iron Castings. Chairman of D14.7 Committee on Recommended Practices for Surfacing and Reconditioning of Industrial Mill Rolls. Mr. Yevick also served three terms on the AWS Technical Activity Committee (TAC). Additionally, Mr Yevick was a member and contributed to the D14, D14.1, D14.3, D14.4, D14.5, D14.6, D14.8, D14.9, B2.1, and C5 committees. In addition to his contributions to welding he was also a member of the American Society for Non-Destructive Testing for over 50 years.

Personnel

AWS B2 Committee on Procedure and Performance Qualification

T. Anderson, Chair	<i>ITW Welding North America</i>
J. M. Rosario, Secretary	<i>American Welding Society</i>
J. Alston	<i>Jefferson Lab</i>
M. E. Barrett	<i>Westinghouse</i>
E. W. Beckman	<i>Consultant</i>
J. P. Bell	<i>Yates Construction</i>
K. L. Bingham	<i>Los Alamos National Laboratory</i>
D. T. Braun	<i>Southside Virginia Community College</i>
M. W. Bumgarner	<i>Bumgarner Consulting, LLC</i>
M. C. Cook	<i>Mid-America Carpenters Regional Council Apprentices & Training Programs</i>
J. L. Cooley	<i>YMC Mechanical</i>
T. A. Davenport	<i>Arcos Industries, LLC</i>
J. D. Farren	<i>Naval Surface Warfare Center</i>
J. J. Fluckiger	<i>Idaho National Laboratory</i>
M. F. Herrle	<i>Arise</i>
T. A. Mihalik	<i>International Training Institute</i>
S. D. Mobley	<i>Oak Ridge National Laboratory</i>
T. C. Mueller	<i>Motion Engineering Ltd.</i>
J. L. Pasqua	<i>Salco Products</i>
A. B. Rigato	<i>Pacific Northwest National Laboratory</i>
W. M. Ruof	<i>Bechtel Plant Machinery, Incorporated</i>
J. J. Sekely	<i>Welding Services, Incorporated</i>
M. L. Thomas	<i>Rocky Mountain Testing, LLC</i>
R. K. Wiswesser	<i>Welder Training & Testing Institute</i>

Advisors to the AWS B2 Committee on Procedure and Performance Qualification

M. Bernasek	<i>C-SPEC</i>
H. R. Castner	<i>Edison Welding Institute (retired)</i>
B. J. Hable	<i>Ford Motor Company</i>
K. Y. Lee	<i>DNV</i>
B. B. MacDonald	<i>Consultant</i>
C. D. Morell	<i>U.S. Nuclear Regulatory Commission (retired)</i>
J. F. Pike	<i>Acoustical Sheetmetal</i>
F. A. Schweighardt	<i>Airgas</i>
A. W. Sindel	<i>TRC Solutions</i>
C. E. Spaeder, Jr.	<i>Consultant</i>
W. J. Sperko	<i>Sperko Engineering Services, Incorporated</i>
R. F. Waite	<i>Robert F. Waite, PE PC</i>
G. M. Wisbrock, Jr.	<i>Consultant</i>

AWS B2B Subcommittee on Welding Qualification

T. A. Davenport, Chair	<i>Arcos Industries, LLC</i>
J. M. Rosario, Secretary	<i>American Welding Society</i>
J. Alston	<i>Jefferson Lab</i>
T. Anderson	<i>ITW Welding North America</i>

AWS B2B Subcommittee on Welding Qualification (Continued)

E. W. Beckman	<i>Consultant</i>
J. P. Bell	<i>Yates Construction</i>
K. L. Bingham	<i>Los Alamos National Laboratory</i>
D. T. Braun	<i>Southside Virginia Community College</i>
M. W. Bumgarner	<i>Bumgarner Consulting, LLC</i>
M. C. Cook	<i>Mid-America Carpenters Regional Council Apprentices & Training Programs</i>
J. L. Cooley	<i>YMC Mechanical</i>
J. D. Farren	<i>Naval Surface Warfare Center</i>
J. J. Fluckiger	<i>Idaho National Laboratory</i>
J. F. Hernandez	<i>SBC Global</i>
T. A. Mihalik	<i>International Training Institute</i>
S. D. Mobley	<i>Oak Ridge National Laboratory</i>
T. C. Mueller	<i>Motion Engineering Ltd.</i>
J. L. Pasqua	<i>Salco Products</i>
A. B. Rigato	<i>Pacific Northwest National Laboratory</i>
J. J. Sekely	<i>Welding Services, Incorporated</i>
M. L. Thomas	<i>Rocky Mountain Testing, LLC</i>
R. K. Wiswesser	<i>Welder Training & Testing Institute</i>

Advisors to the AWS B2B Subcommittee on Welding Qualification

M. Bernasek	<i>C-SPEC</i>
H. R. Castner	<i>Edison Welding Institute (retired)</i>
B. J. Hable	<i>Ford Motor Company</i>
K. Y. Lee	<i>DNV</i>
A. S. Luby	<i>Moraine Park Technical College</i>
C. D. Morell	<i>U.S. Nuclear Regulatory Commission (retired)</i>
J. F. Pike	<i>Acoustical Sheetmetal</i>
A. W. Sindel	<i>TRC Solutions</i>
W. J. Sperko	<i>Sperko Engineering Services, Incorporated</i>
G. Trepus	<i>Boeing Research and Technology</i>
G. M. Wisbrock, Jr.	<i>Consultant</i>

AWS B2C Subcommittee on Materials

W. M. Ruof, Chair	<i>Bechtel Plant Machinery, Incorporated</i>
J. M. Rosario, Secretary	<i>American Welding Society</i>
D. M. Allbritten	<i>Consultant</i>
T. Anderson	<i>ITW Welding North America</i>
M. Bernasek	<i>C-SPEC</i>
J. L. Cooley	<i>YMC Mechanical</i>
J. D. Farren	<i>Naval Surface Warfare Center</i>
J. J. Fluckiger	<i>Idaho National Laboratory</i>
M. F. Herrle	<i>Arise</i>
Kofford	<i>Idaho National Laboratory</i>
T. C. Mueller	<i>Motion Engineering Ltd.</i>
A. B. Rigato	<i>Pacific Northwest National Laboratory</i>

Advisors to the AWS B2C Subcommittee on Materials

C. E. Cross	<i>Los Alamos National Laboratory</i>
A. Donlevy	<i>International Titanium Association</i>
P. Pollak	<i>Pollak & Associates</i>
C. E. Spaeder, Jr.	<i>Consultant</i>
L. T. Vernam	<i>AlcoTec Wire Corporation</i>
G. M. Wisbrock, Jr.	<i>Consultant</i>

Foreword

This foreword is not part of this standard but is included for informational purposes only.

The AWS B2 Committee on Procedure and Performance Qualification was formed in 1979. The first edition of B2.1, *Standard for Welding Procedure and Performance Qualification*, was published in 1984. This standard introduced the concept of Standard Welding Procedure Specifications (SWPSs) in addition to a set of rules for qualifying welding procedures, welders, and welding operators. The following edition, renamed B2.1:1998, *Specification for Welding Procedure and Performance Qualification*, was an extensive revision of B2.1-84. The Committee has published numerous Standard Welding Procedure Specifications; B2.2, *Standard for Brazing Procedure and Performance Qualification*; B2.3, *Specification for Soldering Procedure and Performance Qualification*; and B2.4, *Specification for Welding Procedure and Performance Qualification for Thermoplastics*.

AWS B2.1-84, *Standard for Welding Procedure and Performance Qualification*, was revised in 1998, 2000, 2005, 2009, and 2014.

This is the seventh edition of B2.1, *Specification for Welding Procedure and Performance Qualification*. This revision has undergone several modifications including the updating of definitions and materials.

A vertical line in the margin or underlined text in clauses, tables, or figures indicates an editorial or technical change from the 2014 edition.

Comments and suggestions for the improvement of this standard are welcome. They should be sent to the Secretary, AWS B2 Committee on Procedure and Performance Qualification, American Welding Society, 8669 NW 36 St, # 130, Miami, FL 33166.

This page is intentionally blank.

Table of Contents

	Page No.
<i>Dedication</i>	iv
<i>Personnel</i>	v
<i>Foreword</i>	vii
<i>List of Tables</i>	xi
<i>List of Figures</i>	xi
<i>List of Forms</i>	xii
1. General Requirements	1
1.1 Scope	1
1.2 Units of Measure	2
1.3 Safety	2
2. Normative References	2
3. Terms and Definitions	3
4. Procedure Qualification	5
4.1 General	5
4.2 Standard Welding Procedure Specifications	5
4.3 Welding Procedures Qualified by Employer	7
4.4 Evaluation of Test <u>Coupons</u>	9
4.5 Qualification Thickness Limitations	9
4.6 Special Test <u>Coupon</u> Acceptance Criteria	12
4.7 Pipe and Plate Groove Test <u>Coupons</u> and Acceptance Criteria	12
4.8 Fillet Test <u>Coupons</u> and Acceptance Criteria	14
4.9 Cladding Test <u>Coupons</u> and Acceptance Criteria	16
4.10 Hardfacing Test <u>Coupons</u> and Acceptance Criteria	18
4.11 Stud Welds and Acceptance Criteria	19
4.12 Test <u>Coupons</u> less than 1/16 in [1.5 mm] Acceptance Criteria	20
4.13 Welding Procedure Specification Data	23
4.14 Procedure Qualification Variables	25
5. Performance Qualification	35
5.1 General	35
5.2 Qualification by Standard Test	37
5.3 Qualification by Workmanship Test	38
5.4 Test <u>Coupons</u>	38
5.5 Examination Procedures and Acceptance Criteria	48
5.6 Performance Qualification Variables	50

Annexes 53
Annex A (Normative)—Illustrations—Weld Position, Test Specimens, and Text Fixtures 55
Annex B (Normative)—Filler Metal Grouping 75
Annex C (Normative)—Base Metal Grouping 79
Annex D (Normative)—Radiographic Examination Procedure 301
Annex E (Informative)—Basis for Establishing a Standard Welding Procedure Specification (SWPS) 305
Annex F (Informative)—Sample Forms 307
Annex G (Informative)—Macroetch Procedure 313
Annex H (Informative)—Requesting an Official Interpretation on an AWS Standard 317
Annex I (Informative)—Guidelines for Requesting Adoption of New Materials Under the AWS B2.1 Standard . 319
List of AWS Documents on Welding Procedure and Performance Qualification 323

List of Tables

Table	Page No.
4.1	Test Methods Required for Procedure Qualification 10
4.2	Thickness and Size Limitations for Fillet Welds for Procedure Qualification 10
4.3	Thickness Limitations of Plate and Pipe for Groove Welds for Procedure Qualification 11
4.4	Thickness Limitations for Cladding and Hardfacing for Procedure Qualification 11
4.5	Minimum Shear Strength for Aluminum Fillet Welds 17
4.6	Minimum Tensile Load Requirements for Aluminum Stud Welds 20
4.7	Minimum Torque Requirements for Steel Stud Welds 21
4.8	Minimum Torque Requirements for Aluminum Stud Welds 21
5.1	Examination Requirements for Performance Qualification 36
5.2	Number of Bend Tests for Performance Qualification 38
5.3	Allowable Base Metals for Performance Qualification 40
5.4	Allowable Filler Metals for Performance Qualification 40
5.5	Position Limitations for Performance Tests 41
5.6	Limitations for Performance Qualification on Groove Welds in Pipe and Tube 51
5.7	Limitations for Performance Qualification in Plate Groove Welds 51
5.8	Limitations for Performance Qualification in Pipe Fillet Welds 51
B.1	Grouping of Welding Electrodes and Rods for Qualification 76
B.2	Classification of Ferrous Weld Metal for Procedure Qualification 78
C.1	Listing of Base Metal Specifications—Ferrous Alloys 80
C.1	Listing of Base Metal Specifications—Nonferrous Alloys 129
C.2	M-Number Listing of Base Metals—Ferrous Alloys 156
C.2	M-Number Listing of Base Metals—Nonferrous Alloys 234
C.3	Listing of Base Metal Specifications—Iron Castings 285
C.4	<u>Listing of Base Metal Specifications for Standard Welding Procedure Specifications for Naval Applications—Ferrous Alloys</u> 287
D.1	Acceptable Linear Discontinuities for Radiographic Examination 302
D.2	Acceptable Rounded Discontinuities for Radiographic Examination 302

List of Figures

Figure	Page No.
4.1	Welding Procedure Selection Criteria 6
4.2	Location of Groove Weld Test Specimens—Pipe 12
4.3	Location of Test Specimens for Welded Box Tubing 13
4.4	Location of Tension, Longitudinal Bend, and Fracture Toughness <u>Test</u> Specimens—Plate 14
4.5	Location of Tension, Fracture Toughness, and Transverse Bend <u>Test</u> Specimens—Plate 15
4.6	Location of Fillet Weld Shear Test and Macroetch Specimens 16
4.7	Fillet Weld Break Test and Macroetch Specimens for Procedure Qualification 17
4.8	Location of Cladding Test Specimens 18
4.9	Location of Hardfacing Test Specimens 19
4.10	<u>Rotating Tool Design Characteristics (FSW)</u> 34
5.1	Selection of Performance Qualification Method—Workmanship Test or Standard Test 36

Figure	Page No.
5.2 Typical Workmanship Test <u>Coupons</u>	39
5.3 Location of 1G, 2G, 5G, and 6G Bend Specimens—Pipe Groove <u>Test Coupon</u>	42
5.4 Location of Bend Specimens—Combined Pipe Positions 2G and 5G	43
5.5 Location of Bend Specimens for Box Tube.....	44
5.6 Location of Transverse Bend Specimens—Plate Groove <u>Test Coupon</u>	44
5.7 Location of Longitudinal Bend Specimens—Plate Groove <u>Test Coupon</u>	45
5.8 Location of Fillet Test Specimens—Plate.....	45
5.9 Location of Fillet Test Specimens—Alternate <u>Test Coupon</u> —Plate	46
5.10 Location of Fillet Test Specimens—Pipe	46
5.11 Location of Fillet Test Specimens—Alternate Weld—Pipe	47
5.12 Location of Cladding Specimens—Plate.....	47
5.13 Location of Test Specimen—Hardfacing <u>Test Coupon</u> —Plate	48
A.1A Welding Test Positions—Groove, Cladding, and Hardfacing Welds.....	57
A.1B Limits of Welding Positions—Groove, Cladding, and Hardfacing Welds	58
A.1C Welding Test Positions—Fillet Welds	59
A.1D Limits of Welding Positions—Fillet Welds	60
A.1E Welding Positions—Stud Welds	61
A.2A Transverse Face and Root Bend Specimens	62
A.2B Longitudinal Face and Root Bend Specimens	63
A.2C Transverse Side Bend Specimens	63
A.3A Reduced Section Tension Specimen—Rectangular.....	64
A.3B Reduced Section Tension Specimen—Round	65
A.3C Alternate Tension Specimen for Pipe 3 in [76 mm] O.D. or Less	65
A.3D Alternate Tension Specimen for Pipe 2 in [51 mm] O.D. or Less	66
A.4A Weld Cladding Side Bend Specimens.....	67
A.4B Weld Cladding and Hardfacing Chemical Analysis Specimens	67
A.5A Guided Bend Fixture—Bottom Ejecting Type	68
A.5B Guided Bend Fixture—Bottom Type.....	69
A.5C Guided Bend Fixture—Wrap-Around	70
A.5D Stud Weld Bend Test Fixture	71
A.5E Stud Weld Torque Test Fixture	72
A.5F Stud Weld Tension Test Fixture.....	73
D.1 Rounded Indication Charts for Radiographic Examination.....	303

List of Forms

Form	Page No.
F.1 Example of a Performance Qualification Test Record.....	308
F.2 Example of a Welding Procedure Specification	309
F.3 Example of a Procedure Qualification Record	310

Specification for Welding Procedure and Performance Qualification

1. General Requirements

1.1 Scope. This specification provides requirements for welding procedure and welding performance qualification. It is the intent that this specification be referenced by other documents, such as codes, specifications, contracts, and quality control or quality assurance manuals. Such documents are recognized in this specification as Referencing Documents. Requirements imposed by the Referencing Document supersede the requirements of this specification.

The requirements for the qualification of welding procedures are provided in Clause 4, Procedure Qualification. The requirements for the performance qualification of welders and welding operators are provided in Clause 5, Performance Qualification.

This specification also defines and establishes qualification variables. Qualification requirements are based on the premise that the Referencing Document will specify fabrication, design, base metal, filler metal, preheat, interpass temperature, postweld heat treatment (PWHT), nondestructive examination, and test requirements applicable to the product. Welding procedure and performance qualifications which meet the requirements of other codes and specifications are acceptable, provided they also meet the requirements of this specification.

Base metals and filler metals have been grouped into categories that will minimize the number of qualification tests required. Substitution of one base metal or filler metal for another, even when within the allowable rules, should only be made after an evaluation of the material's suitability for its intended use. For some materials, additional tests may be appropriate to verify the material's suitability. Materials not listed require separate qualification.

This specification is intended for use with the following welding processes:

EBW	= Electron Beam Welding
EGW	= ElectroGas Welding
ESW	= Electroslag Welding
FCAW	= Flux Cored Arc Welding
GMAW	= Gas Metal Arc Welding
GTAW	= Gas Tungsten Arc Welding
LBW	= Laser Beam Welding
OFW	= Oxyfuel Gas Welding
PAW	= Plasma Arc Welding
SAW	= Submerged Arc Welding
SMAW	= Shielded Metal Arc Welding
SW	= Arc Stud Welding

Employers shall be responsible for the welding performed by their organization, including the use of qualified welding procedures, qualified welders, and qualified welding operators. The welding procedure may be an AWS Standard Welding Procedure Specification (SWPS) published by the American Welding Society, or it shall be qualified by the Employer as required under the rules of Clause 4, Procedure Qualification. It is the Employer's responsibility to assure that welding procedure specifications (WPSs) meet all requirements of the Referencing Document.