

AWS D1.2/D1.2M:2014
An American National Standard



Structural Welding Code— Aluminum



American Welding Society®



**AWS D1.2/D1.2M:2014
An American National Standard**

**Approved by the
American National Standards Institute
June 11, 2013**

Structural Welding Code— Aluminum

Sixth Edition

Supersedes AWS D1.2/D1.2M:2008

Prepared by the
American Welding Society (AWS) D1 Committee on Structural Welding

Under the Direction of the
AWS Technical Activities Committee

Approved by the
AWS Board of Directors

Abstract

This code covers the welding requirements for any type structure made from aluminum structural alloys, except for aluminum pressure vessels and pressure piping. Clauses 1 through 8 constitute a body of rules for the regulation of welding in aluminum construction. A commentary on the code is also included with the document.

ISBN: 978-0-87171-840-2
© 2014 by American Welding Society
All rights reserved
Printed in the United States of America

Photocopy Rights. No portion of this standard may be reproduced, stored in a retrieval system, or transmitted in any form, including mechanical, photocopying, recording, or otherwise, without the prior written permission of the copyright owner.

Authorization to photocopy items for internal, personal, or educational classroom use only or the internal, personal, or educational classroom use only of specific clients is granted by the American Welding Society provided that the appropriate fee is paid to the Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923, tel: (978) 750-8400; Internet: <www.copyright.com>.

Statement on the Use of American Welding Society Standards

All standards (codes, specifications, recommended practices, methods, classifications, and guides) of the American Welding Society (AWS) are voluntary consensus standards that have been developed in accordance with the rules of the American National Standards Institute (ANSI). When AWS American National Standards are either incorporated in, or made part of, documents that are included in federal or state laws and regulations, or the regulations of other governmental bodies, their provisions carry the full legal authority of the statute. In such cases, any changes in those AWS standards must be approved by the governmental body having statutory jurisdiction before they can become a part of those laws and regulations. In all cases, these standards carry the full legal authority of the contract or other document that invokes the AWS standards. Where this contractual relationship exists, changes in or deviations from requirements of an AWS standard must be by agreement between the contracting parties.

AWS American National Standards are developed through a consensus standards development process that brings together volunteers representing varied viewpoints and interests to achieve consensus. While AWS administers the process and establishes rules to promote fairness in the development of consensus, it does not independently test, evaluate, or verify the accuracy of any information or the soundness of any judgments contained in its standards.

AWS disclaims liability for any injury to persons or to property, or other damages of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, or reliance on this standard. AWS also makes no guarantee or warranty as to the accuracy or completeness of any information published herein.

In issuing and making this standard available, AWS is neither undertaking to render professional or other services for or on behalf of any person or entity, nor is AWS undertaking to perform any duty owed by any person or entity to someone else. Anyone using these documents should rely on his or her own independent judgment or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances. It is assumed that the use of this standard and its provisions is entrusted to appropriately qualified and competent personnel.

This standard may be superseded by new editions. This standard may also be corrected through publication of amendments or errata, or supplemented by publication of addenda. Information on the latest editions of AWS standards including amendments, errata, and addenda is posted on the AWS web page (www.aws.org). Users should ensure that they have the latest edition, amendments, errata, and addenda.

Publication of this standard does not authorize infringement of any patent or trade name. Users of this standard accept any and all liabilities for infringement of any patent or trade name items. AWS disclaims liability for the infringement of any patent or product trade name resulting from the use of this standard.

AWS does not monitor, police, or enforce compliance with this standard, nor does it have the power to do so.

Official interpretations of any of the technical requirements of this standard may only be obtained by sending a request, in writing, to the appropriate technical committee. Such requests should be addressed to the American Welding Society, Attention: Managing Director, Technical Services Division, 8669 NW 36 St, # 130, Miami, FL 33166 (see Annex J). With regard to technical inquiries made concerning AWS standards, oral opinions on AWS standards may be rendered. These opinions are offered solely as a convenience to users of this standard, and they do not constitute professional advice. Such opinions represent only the personal opinions of the particular individuals giving them. These individuals do not speak on behalf of AWS, nor do these oral opinions constitute official or unofficial opinions or interpretations of AWS. In addition, oral opinions are informal and should not be used as a substitute for an official interpretation.

This standard is subject to revision at any time by the AWS D1 Committee on Structural Welding. It must be reviewed every five years, and if not revised, it must be either reaffirmed or withdrawn. Comments (recommendations, additions, or deletions) and any pertinent data that may be of use in improving this standard are required and should be addressed to AWS Headquarters. Such comments will receive careful consideration by the AW D1 Committee on Structural Welding and the author of the comments will be informed of the Committee's response to the comments. Guests are invited to attend all meetings of the AWS D1 Committee on Structural Welding to express their comments verbally. Procedures for appeal of an adverse decision concerning all such comments are provided in the Rules of Operation of the Technical Activities Committee. A copy of these Rules can be obtained from the American Welding Society, 8669 NW 36 St, # 130, Miami, FL 33166.

Dedication

In Memoriam

Paul J. Sullivan
1926–2013

This issue of AWS D1.2, *Structural Welding Code—Aluminum*, is dedicated to the memory of Paul J. Sullivan. Among his many contributions to the American Welding Society, Paul was one of the charter members of the D1G Aluminum Subcommittee. He was a faithful member for many years and served as the Subcommittee Chairman for six years. Without Paul’s wisdom and guidance, the D1.2 Code would not be the document we have today. Paul’s intelligence, parliamentary knowledge, mentorship, and warm good humor will be missed by all of us.

Personnel

AWS D1 Committee on Structural Welding

D. K. Miller, Chair	<i>The Lincoln Electric Company</i>
A. W. Sindel, Vice Chair	<i>Alstom Power Steam</i>
T. L. Niemann, 2nd Vice Chair	<i>Minnesota Department of Transportation</i>
B. C. McGrath, Secretary	<i>American Welding Society</i>
F. Armao	<i>The Lincoln Electric Company</i>
E. L. Bickford	<i>Acute Technological Services</i>
T. W. Burns	<i>AlcoTec Wire Corporation</i>
H. H. Campbell, III	<i>Pazuzu Engineering</i>
R. D. Campbell	<i>Bechtel</i>
R. B. Corbit	<i>CB&I</i>
M. A. Grieco	<i>Massachusetts Department of Transportation</i>
C. W. Holmes	<i>Modjeski & Masters, Incorporated</i>
J. J. Kenney	<i>Shell International E & P</i>
J. H. Kiefer	<i>ConocoPhillips Company</i>
S. W. Kopp	<i>High Steel Structures</i>
V. Kuruvilla	<i>Genesis Quality Systems</i>
J. Lawmon	<i>American Engineering and Manufacturing</i>
N. S. Lindell	<i>Oregon Iron Works, Incorporated/United Streetcar</i>
D. R. Luciani	<i>Canadian Welding Bureau</i>
P. W. Marshall	<i>MHP Systems Engineering</i>
M. J. Mayes	<i>Mayes Testing Engineers, Incorporated</i>
D. L. McQuaid	<i>D. L. McQuaid & Associates, Incorporated</i>
R. D. Medlock	<i>High Steel Structures</i>
J. Merrill	<i>AMEC E&I</i>
J. B. Pearson	<i>LTK Engineering Services</i>
D. C. Phillips	<i>Hobart Brothers Company</i>
D. D. Rager	<i>Rager Consulting, Incorporated</i>
T. J. Schlafly	<i>AISC</i>
D. R. Scott	<i>PSI</i>
R. E. Shaw	<i>Steel Structures Technology Center, Incorporated</i>
R. W. Stieve	<i>Greenman-Pedersen, Incorporated</i>
M. M. Tayarani	<i>Massachusetts Department of Transportation</i>
K. K. Verma	<i>Consultant</i>
D. G. Yantz	<i>Canadian Welding Bureau</i>

Advisors to the AWS D1 Committee on Structural Welding

W. G. Alexander	<i>WGAPE</i>
N. J. Altebrando	<i>STV, Incorporated</i>
E. M. Beck	<i>AMEC</i>
O. W. Blodgett	<i>The Lincoln Electric Company</i>
B. M. Butler	<i>Walt Disney World Company</i>
L. E. Collins	<i>Team Industries, Incorporated</i>
R. A. Dennis	<i>Consultant</i>
G. L. Fox	<i>Consultant</i>

Advisors to the AWS D1 Committee on Structural Welding (Continued)

H. E. Gilmer	<i>Tampa Tank—Florida Structural Steel</i>
G. J. Hill	<i>G J Hill & Associates</i>
M. L. Hoitomt	<i>Consultant</i>
D. R. Lawrence, II	<i>Welding Engineer</i>
J. E. Myers	<i>Consultant</i>
J. W. Post	<i>J W Post & Associates, Incorporated</i>
*P. J. Sullivan	<i>Massachusetts Highway Department (Retired)</i>
B. D. Wright	<i>Advantage Aviation Technologies</i>

AWS D1G Subcommittee on Aluminum Structures

T. W. Burns, Chair	<i>AlcoTec Wire Corporation</i>
J. R. Kissell, Vice Chair	<i>The TGB Partnership</i>
B. C. McGrath, Secretary	<i>American Welding Society</i>
F. G. Armao	<i>The Lincoln Electric Company</i>
M. W. Elsemore	<i>Boeing</i>
D. R. Haydock	<i>General Atomic</i>
C. W. Hayes	<i>The Lincoln Electric Company</i>
A. L. Johnson	<i>Johnson Inspection</i>
S. G. Kowats	<i>International Training Institute</i>
G. McCleary	<i>SAIC</i>
T. M. Nelson	<i>LTK Engineering Services</i>
D. D. Rager	<i>Rager Consulting, Incorporated</i>
M. A. Rosenbalm	<i>Hapco Pole Products</i>
D. Schaffer	<i>Airgas</i>
T. W. Studebaker	<i>Terracon Consultants</i>
J. L. Uebele	<i>Waukesha County Tech College</i>
G. J. White	<i>Hobart Filler Metals</i>
K. L. Williams	<i>Alcoa Technical Center</i>
D. G. Yantz	<i>Canadian Welding Bureau</i>

Advisors to the AWS D1G Subcommittee on Aluminum Structure

T. Anderson	<i>ITW Welding North America</i>
C. R. Briden	<i>Consultant</i>
J. P. Colgan	<i>Kinze Manufacturing, Incorporated</i>
D. R. Luciani	<i>Canadian Welding Bureau</i>
R. C. Minor	<i>Hapco Aluminum Poles</i>
C. K. Nicholson	<i>AMEC</i>
*P. J. Sullivan	<i>Massachusetts Highway Department (Retired)</i>

*Deceased

Foreword

This foreword is not part of AWS D1.2/D1.2M:2014, *Structural Welding Code—Aluminum*, but is included for informational purposes only.

In the early 1970s, interest was expressed in developing a consolidated code for the structural welding of aluminum similar to the AWS D1.1, *Structural Welding Code—Steel*. Because of the interest of both the Aluminum Association and the American Welding Society, it was decided to begin in the mid-70s the task of developing a structural welding code for aluminum. Initially, the effort was undertaken by a task force of the Aluminum Association. In 1979, this task force became a subcommittee of the AWS Structural Welding Committee and the *Structural Welding Code—Aluminum* resulted from the continued activity of that subcommittee.

The first edition of the *Structural Welding Code—Aluminum* (hereafter referred to as the *code*) represented the continuing AWS policy to provide standards for structural welding. This code is provided for the fabrication, erection, and manufacturing industries as a set of rules and regulations for the welding of structural aluminum. Some of the more important aspects of this edition of the code are outlined in the following paragraphs.

Recommended joint details have been prepared for numerous complete joint penetration groove welded joints. Herein lies one of the major differences between the *Structural Welding Code—Steel* and this code. While the steel code allows for prequalified welding procedures, this code does not. This is mainly because of the many and varied possible welding conditions that can be obtained with semiautomatic welding variables most often used with aluminum and the wide range of both heat-treatable and nonheat-treatable alloys that may be welded under this code. Therefore, all of the joint details and the welding procedures used with this code shall be individually qualified and included in the Welding Procedure Specification (WPS).

Procedures and standards are outlined for several methods of nondestructive testing. Methods included are visual, radiographic, and dye-penetrant. Ultrasonic testing is permitted, but the procedure and acceptance criteria shall be specified in the contract documents.

This code does not concern itself with such design considerations as the arrangements of parts, loading, and the computation of stresses for proportioning the load-carrying members of a structure and their connection. Such considerations, it is assumed, are covered elsewhere in a general code or specification, such as the *Specification for Aluminum Structures* (the Aluminum Association).

Many of the users of this code will also be users of the *Structural Welding Code—Steel*. As a result, it was felt that as much similarity as possible between the codes for steel and aluminum should be achieved. Thus, the same general format was used in the development of the 1983 and 1990 editions of the aluminum code as in the steel code. The D1.2-97 code was reorganized so that the 1990 Clauses 4 and 5 (Technique and Qualification) were merged into one new Clause 4. Furthermore, Appendix H of D1.2-90 was moved to after the Preface. Clauses 1 through 7 constitute a body of rules for the regulation of welding on aluminum structures. The 2003 edition represented a major reorganization of the D1.2-97 format. For example, Clauses 7, 8, and 9 of D1.2-97 were eliminated, and their provisions distributed throughout the code. The 2008 edition added design criteria and new alloys, revised inspection criteria, and included recommended PJP groove-welded joint details.

In this 6th edition, the following major revisions were made:

- (1) Responsibilities of the Engineer, Contractor, and Inspector were added.
- (2) Class I and Class II structure types were eliminated.
- (3) 5652 was deleted from D1.2 because the Aluminum Association deactivated the alloy.
- (4) A change from conventional to pulsed power supply is no longer an essential variable for WPS qualification.
- (5) GTAW current type (AC or DC) is now an essential variable for performance qualification.

- (6) A change in shielding gas is no longer an essential variable requiring welder requalification.
- (7) Requirements for the preparation of base metal were revised.
- (8) Base metal meeting ASTM B928 in alloys 5083, 5086, and 5456 was added.
- (9) A requirement to RT or UT the entire length of CJP groove welds welded from one side without backing and inaccessible for visual inspection of the back side was added.
- (10) The torque test for qualifying stud weld WPSs was eliminated.
- (11) Studs other than 5xxx series were deleted.
- (12) Minimum tensile strengths for studs were revised.
- (13) Friction stir welding was added.
- (14) The minimum size of reinforcing fillet welds in corner and tee joints was revised.
- (15) Deletion of Annex E—Effective Throat.
- (16) Annex J—Safe Practices. Safety clauses were updated including references to additional material; the safety annex was deleted.

A vertical line in the margin or underlined text in clauses, tables, or figures indicates an editorial or technical change from the 2008 edition.

Commentary. The Commentary is nonmandatory and is intended only to provide insightful information into provision rationale.

Normative Annexes. These annexes address specific subjects in the code and their requirements are mandatory requirements that supplement the code provisions.

Informative Annexes. These annexes are not code requirements but are provided to clarify code provisions by showing examples, providing information, or suggesting alternative good practices.

Index. As in previous codes, the entries in the Index are referred to by subclause number rather than by page number. This should enable the user of the Index to locate a particular item of interest in minimum time.

Errata. It is the Structural Welding Committee's policy that all errata should be made available to users of the code. Therefore, any significant errata will be published in the Society News Section of the *AWS Welding Journal* and posted on the AWS web site at: <http://www.aws.org/technical/d1/>.

Suggestions. Your comments for improving AWS D1.2/D1.2M:2014, *Structural Welding Code—Aluminum*, are welcome. Submit comments to the Managing Director, Technical Services Division, American Welding Society, 8669 NW 36 St, # 130, Miami, FL 33166; telephone (305) 443-9353; fax (305) 443-5951; e-mail info@aws.org; or via the AWS web site <<http://www.aws.org>>.

Table of Contents

	Page No.
<i>Dedication</i>	iv
<i>Personnel</i>	v
<i>Foreword</i>	vii
<i>List of Tables</i>	xii
<i>List of Figures</i>	xiii
1. General Requirements	1
1.1 Scope.....	1
1.2 Definitions	1
1.3 Responsibilities.....	1
1.4 Approval	2
1.5 Welding Symbols.....	2
1.6 Safety	2
1.7 Units of Measurement.....	2
1.8 Normative References.....	2
2. Design	5
2.1 Scope.....	5
2.2 Structural Design	5
2.3 Drawings.....	5
2.4 Groove Welds.....	5
2.5 Fillet Welds	6
2.6 Plug and Slot Welds.....	6
2.7 Filler Plates	7
3. Qualification	11
Part A—General Requirements.....	11
3.1 General.....	11
3.2 Qualification of WPSs	11
3.3 Qualification of Welders, Welding Operators, and Tack Welders	12
3.4 Position of Test Welds	12
Part B—Types of Tests, Test Methods, and Acceptance Criteria.....	13
3.5 Types and Purposes of Tests	13
3.6 Visual Examination.....	13
3.7 Tension Tests—Groove Welds.....	14
3.8 Bend Tests—Groove Welds—Plate and Pipe	15
3.9 Soundness Tests—Groove Welds in Castings	16
3.10 Soundness Tests—Fillet Welds.....	16
3.11 Radiographic Examination	17
Part C—WPS Qualification.....	17
3.12 General.....	17
3.13 Limits of Qualified Positions for WPSs	17
3.14 Limitation of Essential Variables—WPS Qualification	17
3.15 Tests—WPS Qualification.....	17
3.16 Retests.....	18
Part D—Performance Qualification	19
3.17 General.....	19

3.18	Limits of Qualified Positions for Performance.....	19
3.19	Preparation of Test Weldments—Performance Qualification.....	19
3.20	Essential Variables	20
3.21	Tests—Performance Qualification.....	20
3.22	Retests.....	21
3.23	Period of Effectiveness	21
4.	Fabrication	67
4.1	Scope.....	67
4.2	Processes.....	67
4.3	Base Metal	67
4.4	Filler Metal	67
4.5	Tungsten Electrodes.....	67
4.6	Shielding Gas.....	67
4.7	Welding and Cutting Equipment	67
4.8	Backing	67
4.9	Preheat and Interpass Temperatures	68
4.10	Welding Environment	68
4.11	Compliance with Design.....	68
4.12	Preparation of Base Metal	68
4.13	Re-entrant Corners.....	69
4.14	Weld Access Holes	69
4.15	Allowance for Camber.....	69
4.16	Assembly	69
4.17	Technique.....	70
4.18	Tack and Temporary Welds	70
4.19	Dimensional Tolerances for Welded Members.....	70
4.20	Arc Strikes	70
4.21	Weld Termination	70
4.22	Control of Distortion and Shrinkage.....	71
4.23	Weld Profiles.....	72
4.24	Repairs	72
4.25	Copper Inclusions	72
4.26	Cleaning of Completed Welds	72
4.27	Anti-Spatter Compound.....	72
4.28	Postweld Heat Treatment.....	72
5.	Inspection	79
	Part A—General Requirements.....	79
5.1	General.....	79
5.2	Inspection of Materials	80
5.3	Inspection of WPS Qualification and Equipment.....	80
5.4	Inspection of Welder, Welding Operator, and Tack Welder Qualifications	80
5.5	Inspection of Work and Records.....	80
5.6	Obligations of the Contractor	80
5.7	Nondestructive Testing	81
5.8	Extent of Testing.....	81
	Part B—Radiographic Testing of Groove Welds in Butt Joints	82
5.9	General.....	82
5.10	RT Procedures.....	82
5.11	Acceptability of Welds	84
5.12	Examination, Report, and Disposition of Radiographs	84

Part C—Ultrasonic Testing of Groove Welds	84
5.13 General.....	84
Part D—Acceptance Criteria.....	85
5.14 Visual Inspection	85
5.15 RT	85
5.16 UT	86
5.17 PT.....	86
6. Stud Welding.....	99
Part A—General Requirements.....	99
6.1 General.....	99
6.2 Material Requirements.....	99
6.3 Workmanship.....	99
6.4 Qualification Requirements	99
6.5 Operator and Preproduction Qualification.....	101
6.6 Acceptance Criteria—Production Welds	101
6.7 Mislocated Studs.....	101
6.8 Repair of Misapplied Studs	101
Part B—Arc Stud Welding	101
6.9 General Requirements	101
6.10 Material Requirements.....	101
6.11 Workmanship.....	101
6.12 Technique.....	101
Part C—Capacitor Discharge Stud Welding	102
6.13 General Requirements	102
6.14 Material Requirements.....	102
6.15 Technique.....	102
7. Friction Stir Welding	105
7.1 <u>General Requirements</u>	105
7.2 <u>Design</u>	106
7.3 <u>Qualification</u>	106
7.4 <u>Fabrication</u>	106
7.5 <u>Inspection</u>	106
8. Strengthening and Repair of Existing Structures	113
8.1 General.....	113
8.2 Base Metal	113
8.3 Design	113
8.4 Repair Procedure	113
8.5 Inspection.....	113
Annex A (Informative)— <u>Informative References</u>	115
Annex B (Informative)— <u>Recommended Groove Welded Joints</u>	117
Annex D (Informative)— <u>Examples of Tubular Connections</u>	153
Annex E (Informative)— <u>Sample Welding Forms</u>	157
Annex F (Informative)— <u>Sample NDT Forms</u>	165
Annex G (Informative)— <u>Solutions for Macroetching Aluminum Weldments</u>	169
Annex H (Informative)— <u>Guide for Specification Writers</u>	171
Annex I (Informative)— <u>Tungsten Electrodes</u>	173
Annex J (Informative)— <u>Guidelines for the Preparation of Technical Inquiries for the Structural Welding Committee</u>	175
<i>Commentary</i>	177
Foreword.....	179
Index	207
List of AWS Documents on Structural Welding.....	215

List of Tables

Table	Page No.	
2.1	Minimum Diameter of Hole for Plug Welds or Width of Slot for Slot Welds.....	8
3.1	Limitations of Essential Variables of a WPS	22
3.2	Tensile Strength of Welded Aluminum Alloys (GTAW or GMAW with No Postweld Heat Treatment).....	24
3.3	WPS Qualification-Type of Weld and Position Limitations	26
3.4	Number and Type of Test Specimens and Range of Thickness Qualified—WPS Qualification—CJP Groove Welds	27
3.5	Number and Type of Test Specimens and Range of Thickness Qualified—WPS Qualification—PJP Groove Welds.....	30
3.6	Number and Type of Test Specimens and Range of Thickness Qualified—WPS Qualification—Fillet Welds	31
3.7	Welder Performance Qualification—Type of Weld and Position Limitations.....	32
3.8	Number and Type of Test Specimens and Range of Thickness Qualified—Welder and Welding Operator Qualification.....	33
3.9	Welding Personnel Performance Essential Variable Changes Requiring Requalification.....	37
4.1	<u>Wrought Metal and Casting Material Specifications</u>	73
4.2	Recommended Aluminum Alloy Filler Metals for Structural Welding of Various Base Aluminum Alloys.....	74
4.3	Limit of Acceptability and Repair of Cut Edge Discontinuities in Plate.....	75
4.4	Technique.....	75
4.5	<u>Maximum Cumulative Holding Times at Elevated Temperatures</u>	76
5.1	Hole-Type IQI Requirements.....	87
5.2	Wire IQI Requirements	87
5.3	<u>Visual Inspection Acceptance Criteria</u>	88
5.4	Maximum Acceptable Discontinuity in Radiographs for Any 3 in [75 mm] Length of Weld (Tubular and Cyclically Loaded Nontubular Connections)	89
6.1	<u>Minimum Tensile Strengths for Studs</u>	103
6.2	Stud Alloys for Various Base Alloys	103
7.1	<u>PQR Essential Variable Changes Requiring WPS Requalification for FSW</u>	107
7.2	<u>Welding Personnel Performance Essential Variable Changes Requiring Requalification for FSW</u>	108
7.3	<u>Inspection Acceptance Criteria for FSW</u>	108
I.1	Typical Current Ranges for Tungsten Electrodes	173
I.2	Typical Chemical Composition of Tungsten Electrodes.....	174

List of Figures

Figure	Page No.
2.1	Details of Skewed T-Joints.....9
2.2	Filler Plates Less Than 1/4 in [6 mm] in Thickness 10
2.3	Filler Plates 1/4 in [6 mm] or More in Thickness..... 10
3.1	Positions of Groove Welds.....38
3.2	Positions of Fillet Welds39
3.3	Positions of Test Plates for Groove Welds.....40
3.4	Positions of Test Pipes for Groove Welds.....41
3.5	Positions of Test Plates for Fillet Welds42
3.6	Positions of Test Pipes for Fillet Welds43
3.7	Reduced Section Tension Specimens—Plate and Pipe.....44
3.8	Alternate Reduced Section Tension Specimen for Pipe (3 in [75 mm] Diameter or Less)45
3.9	Full Section Tension Specimens—Small Diameter Pipe (3 in [75 mm] Diameter or Less).....45
3.10	Transverse Side Bend Specimens46
3.11	Longitudinal Face and Root Bend Specimens47
3.12	Transverse Face and Root Bend Specimens48
3.13	Wraparound Guided Bend Jig.....49
3.14	Plunger-Type Guided Bend Jig50
3.15	Roller-Type Guided Bend Jig52
3.16	Nick-Break Fracture Test Specimen for WPS Qualification of Cast to Cast or Cast to Wrought Alloys ..54
3.17	Fillet Weld Soundness Test for WPS Qualification—Option 1—Plate.....55
3.18	Fillet Weld Soundness Test for WPS Qualification—Pipe56
3.19	Fillet Weld Soundness Test for WPS Qualification—Option 2—Root Bend Test—Plate57
3.20	Location of Test Specimens for WPS Qualification—Plate.....58
3.21	Location of Test Specimens for WPS Qualification—Pipe.....59
3.22	Location of Test Specimens for WPS Qualification—Box Tubing59
3.23	Location of Test Specimens for WPS Qualification—Job Size Pipe or Tubing 1/16 in through 3/8 in [2 mm through 10 mm] Wall Thickness 60
3.24	Location of Test Specimens for WPS Qualification—Job Size Pipe or Tubing over 3/8 in [10 mm] Wall Thickness..... 60
3.25	Performance Qualification in All Positions—Plate Thickness $T \leq 1/8$ in [3 mm] 61
3.26	Performance Qualification in All Positions—Plate Thickness $T > 1/8$ in [3 mm] 61
3.27	Performance Qualification in the Horizontal Position—Plate Thickness $T > 1/8$ in [3 mm]..... 62
3.28	Alternative Groove Weld Qualification Test Plate—All Thicknesses 62
3.29	Tubular Groove Weld—Performance Qualification—Without Backing 63
3.30	Tubular Groove Weld—Performance Qualification—Without Backing (Alternative to Figure 3.29) 63
3.31	Tubular Groove Weld—Performance Qualification—With Backing 63
3.32	Fillet Weld or Tack Welder Performance Qualification—Plate..... 64
3.33	Fillet Weld or Tack Welder Performance Qualification—Pipe or Tubing 64
3.34	Location of Test Specimens on Welded Test Pipe and Box Tubing—Performance Qualification..... 65
4.1	Edge Discontinuities in Cut Plate 77
4.2	Acceptable and Unacceptable Weld Profiles 78
5.1	Radiographic Identification and Hole-Type or Wire IQI Locations on Approximately Equal Thickness Joints 10 in [250 mm] and Greater in Length.....90
5.2	Radiographic Identification and Hole-Type or Wire IQI Locations on Approximately Equal Thickness Joints Less than 10 in [250 mm] in Length.....91

Figure	Page No.
5.3 Radiographic Identification and Hole-Type or Wire IQI Locations on Transition Joints 10 in [250 mm] and Greater in Length	92
5.4 Radiographic Identification and Hole-Type or Wire IQI Locations on Transition Joints Less Than 10 in [250 mm] in Length	93
5.5 Hole-Type IQI Design	94
5.6 Wire IQI Sizes	96
5.7 Radiographic Edge Blocks	97
5.8 Maximum Acceptable Discontinuity RT Images	97
6.1 Stud Weld Bend Jig	104
<u>7.1 Friction Stir Welding Nomenclature</u>	109
<u>7.2 Heel and Plunge Depth</u>	110
<u>7.3 Friction Stir Tool Offset</u>	111
<i>Annexes</i>	
B.1 Recommended CJP Groove Welded Joints	118
B.2 Recommended PJP Groove Welded Joints.....	138
B.3 PJP Box Connections	149
B.4 PJP—Circular—Tubular Joints for T-, Y-, and K-Connections Made by GTAW and GMAW.....	150
D.1 Examples of Tubular Connections.....	154
<i>Commentary</i>	
<u>C-2.1 Effective Throats of PJP Groove Welds Reinforced with Fillet Welds</u>	184
C-4.1 Examples of Unacceptable Cutting Beyond the Point of Tangency.....	192
C-4.2 Permissible Offset in Abutting Members	192
C-4.3 Correction of Misaligned Members.....	193
C-4.4 Measurement of Flange Warpage and Tilt.....	193

Structural Welding Code—Aluminum

1. General Requirements

1.1 Scope

This code contains requirements for fabricating and erecting welded aluminum structures. When this code is stipulated in contract documents, conformance with all requirements of this code is required except those that the Engineer (see 1.2.1) or contract documents modifies or exempts.

1.2 Definitions

The welding terms used in this code shall be as defined in AWS A3.0, *Standard Welding Terms and Definitions, Including Terms for Adhesive Bonding, Brazing, Soldering, Thermal Cutting, and Thermal Spraying*, supplemented by the following:

1.2.1 Engineer. “Engineer” is the entity who acts in behalf of the Owner on matters within the scope of this code.

1.2.2 Contractor. “Contractor” is the entity responsible for fabrication in conformance with this code.

1.2.3 Inspectors

1.2.3.1 Contractor’s Inspector. “Contractor’s Inspector” is the entity who acts for, and in behalf of, the Contractor on all inspection within the scope of the code and the contract documents.

1.2.3.2 Verification Inspector. “Verification Inspector” is the entity who acts in behalf of the Owner or Engineer on inspection specified by the Engineer.

1.2.3.3 Inspector (unmodified). When the unmodified term “Inspector” is used, it applies equally to the Contractor’s Inspector and the Verification Inspector.

1.2.4 OEM (Original Equipment Manufacturer). “OEM” is the single Contractor that assumes some or all of the responsibilities assigned by this code to the Engineer.

1.2.5 Owner. “Owner” is the entity that exercises legal ownership of the structure produced under this code.

1.2.6 Code Terms “Shall,” “Should,” and “May.” “Shall,” “should,” and “may” have the following meanings:

1.2.6.1 Shall. Code provisions that use “shall” are mandatory.

1.2.6.2 Should. Code provisions that use “should” are recommended but not mandatory.

1.2.6.3 May. The word “may” allows the use of requirements that are alternates to this code’s requirements. The Contractor may use alternate requirements provided in this code when the code does not require the Engineer’s approval.

1.3 Responsibilities

1.3.1 Engineer’s Responsibilities. The Engineer is responsible for the contract documents that govern structures produced under this code. The Engineer may add to, delete from, or otherwise modify the requirements of this code to meet the requirements of a specific structure. Requirements that modify this code shall be incorporated into the contract documents.

The Engineer shall specify the following in contract documents:

(1) Code requirements that are applicable only when specified by the Engineer.

(2) Additional NDT that is not specifically addressed in this code.

(3) Verification inspection.

(4) Weld acceptance criteria other than that specified in Clause 5.

(5) Whether the structure is statically or cyclically loaded.