AWS D14.9/D14.9M:2022-AMD1
An American National Standard

Specification for the Welding of Hydraulic Cylinders

American Welding Society®

AWS D14.9/D14.9M:2022-AMD1
An American National Standard

Approved by the
American National Standards Institute
September 8, 2022
Amendment: September 26, 2023

Specification for the Welding of Hydraulic Cylinders

2nd Edition

Revises AWS D14.9/D14.9M:2013

Prepared by the
American Welding Society (AWS) D10 Committee on Piping and Tubing

Under the Direction of the
AWS Technical Activities Committee

Approved by the
AWS Board of Directors

Abstract

This specification provides standards for the design and manufacture of pressure containing welded joints and structural welded joints used in the manufacture of hydraulic cylinders. Manufacturer's responsibilities are presented as they relate to the welding practices that have been proven successful within the industry in the production of hydraulic cylinders. Included are clauses defining procedure qualification, performance qualification, workmanship and quality requirements as well as inspection requirements and repair requirements.

American Welding Society®

ISBN Print: 978-1-64322-287-5
ISBN PDF: 978-1-64322-288-2

© 2023 by American Welding Society
All rights reserved
Printed in the United States of America

Photocopy Rights. No portion of this standard may be reproduced, stored in a retrieval system, or transmitted in any form, including mechanical, photocopying, recording, or otherwise, without the prior written permission of the copyright owner.

Authorization to photocopy items for internal, personal, or educational classroom use only or the internal, personal, or educational classroom use only of specific clients is granted by the American Welding Society provided that the appropriate fee is paid to the Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923, tel: (978) 750-8400; Internet: <www.copyright.com>.

Statement on the Use of American Welding Society Standards

All standards (codes, specifications, recommended practices, methods, classifications, and guides) of the American Welding Society (AWS) are voluntary consensus standards that have been developed in accordance with the rules of the American National Standards Institute (ANSI). When AWS American National Standards are either incorporated in, or made part of, documents that are included in federal or state laws and regulations, or the regulations of other governmental bodies, their provisions carry the full legal authority of the statute. In such cases, any changes in those AWS standards must be approved by the governmental body having statutory jurisdiction before they can become a part of those laws and regulations. In all cases, these standards carry the full legal authority of the contract or other document that invokes the AWS standards. Where this contractual relationship exists, changes in or deviations from requirements of an AWS standard must be by agreement between the contracting parties.

AWS American National Standards are developed through a consensus standards development process that brings together volunteers representing varied viewpoints and interests to achieve consensus. While AWS administers the process and establishes rules to promote fairness in the development of consensus, it does not independently test, evaluate, or verify the accuracy of any information or the soundness of any judgments contained in its standards.

AWS disclaims liability for any injury to persons or to property, or other damages of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, or reliance on this standard. AWS also makes no guarantee or warranty as to the accuracy or completeness of any information published herein.

In issuing and making this standard available, AWS is neither undertaking to render professional or other services for or on behalf of any person or entity, nor is AWS undertaking to perform any duty owed by any person or entity to someone else. Anyone using these documents should rely on his or her own independent judgment or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances. It is assumed that the use of this standard and its provisions is entrusted to appropriately qualified and competent personnel.

This standard may be revised, corrected through publication of amendments or errata, or supplemented by publication of addenda. Information on the latest editions of AWS standards including amendments, errata, and addenda is posted on the AWS web page (www.aws.org). Users should ensure that they have the latest edition, amendments, errata, and addenda.

Publication of this standard does not authorize infringement of any patent or trade name. Users of this standard accept any and all liabilities for infringement of any patent or trade name items. AWS disclaims liability for the infringement of any patent or product trade name resulting from the use of this standard.

AWS does not monitor, police, or enforce compliance with this standard, nor does it have the power to do so.

Official interpretations of any of the technical requirements of this standard may only be obtained by sending a request, in writing, to the appropriate technical committee. Such requests should be addressed to the American Welding Society, Attention: Managing Director, Standards Development, 8669 NW 36 St, # 130, Miami, FL 33166 (see Annex F). With regard to technical inquiries made concerning AWS standards, oral opinions on AWS standards may be rendered. These opinions are offered solely as a convenience to users of this standard, and they do not constitute professional advice. Such opinions represent only the personal opinions of the particular individuals giving them. These individuals do not speak on behalf of AWS, nor do these oral opinions constitute official or unofficial opinions or interpretations of AWS. In addition, oral opinions are informal and should not be used as a substitute for an official interpretation.

This standard is subject to revision at any time by the AWS D14 Committee on Machinery and Equipment. It must be reviewed every five years, and if not revised, it must be either reaffirmed or withdrawn. Comments (recommendations, additions, or deletions) and any pertinent data that may be of use in improving this standard are requested and should be addressed to AWS Headquarters. Such comments will receive careful consideration by the AWS D14 Committee on Machinery and Equipment and the author of the comments will be informed of the Committee's response to the comments. Guests are invited to attend all meetings of the AWS D14 Committee on Machinery and Equipment to express their comments verbally. Procedures for appeal of an adverse decision concerning all such comments are provided in the Rules of Operation of the Technical Activities Committee. A copy of these Rules can be obtained from the American Welding Society, 8669 NW 36 St, # 130, Miami, FL 33166.

This page is intentionally blank.

Personnel (Amendment)

AWS D14 Committee on Machinery and Equipment

J. S. Bailey, Chair	*Vermeer Corporation*
B. K. Banzhaf, 1st Vice Chair	*CNH Industrial America LLC*
D. L. Jones, 2nd Vice Chair	*Flowserve*
K. R. Bulger, Secretary	*American Welding Society*
R. L. Arn	*Trinity Industries Incorporated*
F. D. Borns	*Consultant*
J. E. Campbell	*Machinery & Welder Corp*
B. S. Daines	*SpaceX*
C. L. Decker	*The Lincoln Electric Company*
W. E. DePorter	*Komatsu Mining Corp Group*
T. F. Gary	*G & W Products Incorporated*
R. K. Goyal	*John Deere and Co.*
S. A. Harris	*Altec Industries Incorporated*
R. L. Larsen	*John Deere Des Moines Works*
R. Leemans	*Consultant*
J. T. McMurtrey	*Atlas Materials Testing & Inspection*
D. K. Miller	*The Lincoln Electric Company*
D. W. Moers	*CRC-Evans*
C. L. Rasmussen	*Brigham Young University—Idaho*
D. B. Rizor	*Werk-Brau Co., Inc.*
M. K. Shriver	*Crown Equipment Corporation*
J. D. Slipke	*Rosenboom Machine & Tool Incorporated*
P. T. Snyder	*Consultant*
M. A. Stevenson	*Stevenson Fabrication Services Inc*
K. M. Wald	*Felling Trailers*
D. R. Wisner	*M and M Engineering*
R. R. Wyers	*Komatsu Mining Corp Group*

Advisors to the AWS D14 Committee on Machinery and Equipment

S. L. Blankman	*Matheson Trigas East Region*
D. D. Jones	*Texas Hydraulics*
L. L. Schweinegruber	*Consultant*

AWS D14I Subcommittee for the Welding of Hydraulic Cylinders

B. K. Banzhaf, Chair	*CNH Industrial America LLC*
J. D. Slipke, Vice-Chair	*Rosenboom Machine & Tool Incorporated*
K. R. Bulger, Secretary	*American Welding Society*
J. S. Bailey	*Vermeer Corporation*
F. D. Borns	*Consultant*
J. E. Campbell	*Machinery & Welder Corp*
W. E. DePorter	*Komatsu Mining Corp Group*
S. A. Harris	*Altec Industries Incorporated*
R. L. Larsen	*John Deere Des Moines Works*

J. Peterson	*Doomsday Diesel LLC*
C. L. Rasmussen	*Brigham Young University—Idaho*
J. D. Redding	*Vermeer Corporation*
B. Rosenboom	*Rosenboom Machine & Tool Incorporated*
M. K. Shriver	*Crown Equipment Corporation*
P. T. Snyder	*Consultant*
M. A. Stevenson	*Stevenson Fabrication Services Inc*
R. R. Wyers	*Komatsu Mining Corp Group*

Advisors to the AWS D14I Subcommittee for the Welding of Hydraulic Cylinders

S. L. Blankman	*Matheson Trigas East Region*
D. D. Jones	*Texas Hydraulics*
L. L. Schweinegruber	*Consultant*

Personnel (Original)

AWS D14 Committee on Machinery and Equipment

J. S. Bailey, Chair	*Vermeer Corporation*
B. K. Banzhaf, 1st Vice Chair	*CNH Industrial America LLC*
D. L. Jones, 2nd Vice Chair	*Flowserve*
K. R. Bulger, Secretary	*American Welding Society*
R. L. Arn	*Trinity Industries Incorporated*
F. D. Borns	*Consultant*
T. J. Bruno	*Link-Belt Construction Equipment Co*
J. E. Campbell	*Machinery & Welder Corp*
B. S. Daines	*SpaceX*
W. E. DePorter	*Komatsu Mining Corp Group*
T. F. Gary	*G & W Products Incorporated*
R. K. Goyal	*John Deere and Co.*
S. A. Harris	*Altec Industries Incorporated*
R. L. Larsen	*John Deere Des Moines Works*
R. Leemans	*Consultant*
J. T. McMurtrey	*Atlas Materials Testing & Inspection*
D. K. Miller	*The Lincoln Electric Company*
D. W. Moers	*CRC-Evans*
C. L. Rasmussen	*Brigham Young University—Idaho*
M. K. Shriver	*Crown Equipment Corporation*
J. D. Slipke	*Rosenboom Machine & Tool Incorporated*
P. T. Snyder	*Consultant*
M. A. Stevenson	*Stevenson Fabrication Services Inc*
D. R. Wisner	*M and M Engineering*
R. R. Wyers	*Komatsu Mining Corp Group*

Advisors to the AWS D14 Committee on Machinery and Equipment

S. L. Blankman	*Matheson Trigas East Region*
D. D. Jones	*Texas Hydraulics*
L. L. Schweinegruber	*Consultant*

AWS D14I Subcommittee for the Welding of Hydraulic Cylinders

B. K. Banzhaf, Chair	*CNH Industrial America LLC*
J. D. Slipke, Vice-Chair	*Rosenboom Machine & Tool Incorporated*
K. R. Bulger, Secretary	*American Welding Society*
J. S. Bailey	*Vermeer Corporation*
F. D. Borns	*Consultant*
J. E. Campbell	*Machinery & Welder Corp*
W. E. DePorter	*Komatsu Mining Corp Group*
S. A. Harris	*Altec Industries Incorporated*
R. L. Larsen	*John Deere Des Moines Works*
J. Peterson	*Doomsday Diesel LLC*
C. L. Rasmussen	*Brigham Young University—Idaho*

J. D. Redding	*Vermeer Corporation*
B. Rosenboom	*Rosenboom Machine & Tool Incorporated*
M. K. Shriver	*Crown Equipment Corporation*
P. T. Snyder	*Consultant*
M. A. Stevenson	*Stevenson Fabrication Services Inc*
R. R. Wyers	*Komatsu Mining Corp Group*

Advisors to the AWS D14I Subcommittee for the Welding of Hydraulic Cylinders

S. L. Blankman	*Matheson Trigas East Region*
D. D. Jones	*Texas Hydraulics*
L. L. Schweinegruber	*Consultant*

Foreword

This foreword is not part of this standard but is included for informational purposes only.

This specification reflects the welding processes and practices employed by manufacturers within the industry and it incorporates various methods which have been proven successful by individual manufacturers. No restrictions are placed on the use of any welding process or procedure, provided the weld produced meets the qualification requirements of this specification. No attempt is made to limit or restrict technological progress in the welding of hydraulic cylinders, nor should any such limitation be inferred.

This is the second edition of AWS D14.9/D14.9M, *Specification for the Welding of Hydraulic Cylinders*. This second edition has added a revision of the scope, procedure qualifications, and stud welding.

All errata to a standard shall be published in the *Welding Journal* and posted on the AWS website.

A vertical line in the margin or underlined text in clauses, tables, or figures indicates a technical or significant change from the previous edition.

Comments and suggestions for the improvement of this standard are welcome. They should be sent to the Secretary, AWS D14 Committee on Machinery and Equipment, American Welding Society, 8669 NW 36th St #130, Miami, FL 33166.

Table of Contents

Page No.

Personnel(Amendment) v
Personnel (Original) vii
Foreword ix
Amendment xi
List of Tables xv
List of Figures xv

1. General Requirements 1
1.1 Scope 1
1.2 Units of Measure 2
1.3 Safety 2
1.4 Symbols 2

2. Normative References 2

3. Terms and Definitions 3

4. Base Materials 4
4.1 Ferrous and Nonferrous Metals 4
4.2 Properties 4

5. Welding Consumables 4
5.1 Shielding Gases 4
5.2 Filler Metals, Consumable Inserts and Fluxes 4

6. Weld Joint Design 4
6.1 Weld Joint Design Responsibility 4
6.2 Fillet Weld Determination 4
6.3 Combination Fillet and Groove Weld Determination 4
6.4 Combination J and Single Bevel Groove Welds 5
6.5 Effective Groove Weld Size for Flare-Groove Welds 5

7. Welding Process Controls 7
7.1 Procedure Qualification 7
7.2 Performance Qualification 11
7.3 Welding Equipment Qualification 14
7.4 Welding Process Audits 15

8. Workmanship and Quality Requirements 25
8.1 Scope 25
8.2 General Requirements 25
8.3 Equipment 25
8.4 Preparation of Materials 25
8.5 Assembly 25
8.6 Preheat 26
8.7 Arc Strikes 26
8.8 Cleaning of Welds 26
8.9 Peening 26
8.10 Stress Relief 26

8.11 Quality of Welds 27
8.12 Repair of Weld Defects 27

9. Quality Assurance 34
9.1 Quality Personnel 34
9.2 Welding Procedures 34
9.3 Welding Personnel Qualification 34
9.4 Inspection Personnel Qualification 34
9.5 Weld Quality Acceptance Criteria 34
9.6 Welder Requalification 34

10. Repair and Modification 34
10.1 Weld Repair 34
10.2 Repair Instruction 34
10.3 Welding Personnel Qualification 34
10.4 Repair Welding Procedures 34
10.5 Weld Quality 34
10.6 Resource 34

Annex A (Informative)—Commonly Used Welding Processes and Hydraulic Cylinder Component Nomenclature . . 35
Annex B (Informative)—Preheat and Postweld Heat Treatment Recommendations 39
Annex C (Informative)—Recommended Practices for Storage and Treatment of Electrodes and Fluxes 43
Annex D (Informative)—Magnetism, a Cause of Arc Blow 47
Annex E (Informative)—Informative References 49
Annex F (Informative)—Requesting an Official Interpretation on an AWS Standard 51

List of AWS Documents on Machinery and Equipment 53

List of Tables

Table		Page No.
6.1	Effective Weld Sizes of Flare Groove Welds Filled Flush	5
7.1	Minimum Fillet Weld Size for Small Diameter Studs	16
8.1	Arc Weld Acceptance Criteria (Not Including Arc Stud Welding)	29
8.2	Friction Weld Acceptance Criteria	30
8.3	Arc Stud Weld Acceptance Criteria	30
C.1	Electrodes Covered by AWS A5.1/A5.1M, *Specification for Carbon Steel Electrodes for Shielded Metal Arc Welding*	44
C.2	Electrodes Covered by AWS A5.5/A5.5M, *Specification for Low-Alloy Steel Electrodes for Shielded Metal Arc Welding*	44

List of Figures

Figure		Page No.
6.1	Fillet Weld Symbol for Groove Width Less Than 3/32 in [2.5 mm]	5
6.2	Welding Symbol for Combination Weld Types	6
6.3	Welding Symbol for Weld Groove with J- and Single-Bevel Edge Shapes	7
7.1	Typical Location for Cross-Sections in an End Cap Weld	17
7.2	Typical Location of Cross-Sections for Rod Welds with Groove Width Less than 3/32 in [2.5 mm]	18
7.3	Typical Location of Cross-Sections for Rod Welds with Groove Width 3/32 in [2.5 mm] and Greater	18
7.4	Typical Location for Cross-Sections in a Port Weld	19
7.5	Fillet and Groove Weld Cross-Sections and Microhardness Locations	20
7.6	Port Stud Weld Cross-Section and Microhardness Locations	21
7.7	Friction Welded Rod End Cross-Section and Microhardness Locations	22
7.8	Fillet Weld Break Specimen—Tack Welder Qualification	23
7.9	Method for Rupturing Specimen—Tack Welder Qualification	23
7.10	Groove Weld Break Specimen—Tack Welder	24
7.11	Method of Evaluating Tack Welder Qualification for Grooves	24
8.1	Flat Based Port Design on Round Tube	31
8.2	Coped Port Design	31
8.3	Spot Faced Port Design	32
8.4	Acceptable and Unacceptable Weld Profiles	33
A.1	Hydraulic Cylinder Component Nomenclature	38

This page is intentionally blank.

Specification for the Welding of Hydraulic Cylinders

1. General Requirements

1.1 Scope. This specification provides requirements for the design and manufacture of welded joints of hydraulic cylinders. When specified in the contract documents, compliance with all the requirements shall be required. This specification does not apply to the manufacture of welded tubing used for hydraulic cylinders which is covered under ASTM and other recognized specifications. This specification does not specify load determination, design assumptions, safety factors, or calculation methods for non-weld related areas of the hydraulic cylinder.

1.1.1 Responsibilities

1.1.1.1 The Manufacturer's adherence to this specification shall include responsibility for the following:

(1) welding, as defined in 1.1, in accordance with this specification;

(2) producing welds as designated on drawings by appropriate symbols and notes, with sufficient detail to show joint preparation compatible with applied processes;

(3) providing written welding procedure specifications (WPSs);

(4) recording and maintaining results of all welding procedure and welder performance qualification tests;

(5) controlling use of designated base metals and welding consumables;

(6) inspecting the welds to the requirements of this specification;

(7) having a welding quality program in place. The requirements of AWS B5.17, *Specification for the Qualification of Welding Fabricators* may be used as a guide in establishing this welding quality program. Accreditation of quality systems of welding fabricators may be obtained through the AWS Certified Welding Fabricator (CWF) or equivalent programs.

(8) determining the responsible technical authority when the term "Engineer" is used. If the Owner wants to assume engineering responsibility, it shall be specified in the contract documents.

1.1.1.2 The 'Engineer' in this document shall have specific technical expertise, such as, but not limited to, welding engineering or design engineering.

1.1.1.3 Welding Engineer. The Manufacturer's technical authority typically responsible for developing welding procedure specifications (WPS), procedure qualification records (PQR) and performance qualification test record (PQTR). The Welding Engineer may also have expertise in welding process selection; weld metallurgy and weld filler metal selection; weld joint design and weld sizing; weld fixture design and weld robot programing; weld inspection and weld defect/failure root cause analysis. Qualifications for a welding engineer shall meet one of the following criteria:

(1) An AWS Certified Welding Engineer in conformance with the provisions of AWS B5.16, *Specification for the Qualification of Welding Engineers*,

(2) IIW International Welding Engineer (IWE),

(3) Professional Engineer – Welding, or

(4) An individual who by degree, training, or experience is qualified in welding engineering disciplines.

1.1.1.4 Design Engineer. The technical authority typically responsible for developing equipment configuration; analyzing stress levels (such as but not limited to finite element analysis (FEA) and strain gage data); choosing material