

AWS D1.1/D1.1M:2006
An American National Standard



Structural Welding Code— Steel



American Welding Society



**AWS D1.1/D1.1M:2006
An American National Standard**

**Approved by the
American National Standards Institute
November 29, 2005**

Structural Welding Code— Steel

20th Edition

Supersedes AWS D1.1/D1.1M:2004

Prepared by the
American Welding Society (AWS) D1 Committee on Structural Welding

Under the Direction of the
AWS Technical Activities Committee

Approved by the
AWS Board of Directors

Abstract

This code covers the welding requirements for any type of welded structure made from the commonly used carbon and low-alloy constructional steels. Sections 1 through 8 constitute a body of rules for the regulation of welding in steel construction. There are ten normative and twelve informative annexes in this code. A Commentary of the code is included with the document.



American Welding Society

550 N.W. LeJeune Road, Miami, FL 33126

Foreword

This foreword is not a part of AWS D1.1/D1.1M:2006, *Structural Welding Code—Steel*, but is included for informational purposes only.

The first edition of the *Code for Fusion Welding and Gas Cutting in Building Construction* was published by the American Welding Society in 1928. The first bridge welding specification was published separately in 1936. The two documents were consolidated in 1972 into the D1.1 document but were once again separated in 1988 when the joint AASHTO/AWS D1.5, *Bridge Welding Code*, was published to address the specific requirements of State and Federal Transportation Departments. Coincident with this, the D1.1 code changed references of buildings and bridges to statically loaded and dynamically loaded structures, respectively, in order to make the document applicable to a broader range of structural configurations.

Underlined text in the subsections, tables, or figures indicates an editorial or technical change from the 2004 edition. A vertical line in the margin next to a figure drawing indicates a revision from the 2004 edition.

The following is a summary of the most significant technical revisions contained in D1.1/D1.1M:2006:

Section 2.3.1.4 and Table 2.1—Revised and clarified the requirements for the effective size of flare-groove welds.

Table 2.4, Case 4.1—A correction was made to base metal thickness.

Table 3.1 and Table 3.2—New prequalified steels were added to the table.

Figure 3.3—New prequalified joint for flare-V-groove welds was added.

Section 4.1.2.1 and C-4.1.2.1—Section was revised and commentary was added.

Section 4.18 and Table 4.9—Revisions were made to address qualification of welding operators for all positions.

Section 4.8.1—The visual inspection acceptance criteria for welding procedure and welder performance tests was revised to differentiate between fillet and groove weld tests.

Table 4.5—Changes were made to essential variables regarding constant voltage, constant current, voltage, heat input, travel speed, and mode of transfer.

Table 4.11—Table was revised to allow for qualification on pipe grooves less than 4 inches in diameter. A new figure was added.

Section 5.3.1.3—Requirement for dew point was referenced back to source standard.

Section 5.4.1—Limitation on the use of ESW and EGW was revised.

Sections 5.15.2 and 5.14.4—Section was revised to clarify use of plasma arc gouging.

Section 5.30—The allowable equipment used for interpass cleaning was clarified.

Sections 6.2, 6.3, and 6.5—Sections were reorganized to clarify inspector's duties. Sections 6.3.2, 6.5.2, and 6.5.3 were deleted; however, issues addressed in those sections are now addressed in 6.2 and 6.3.

Section 6, Part G—Entire section on advanced NDT techniques was reorganized and revised.

Table 6.2—Table was revised to clarify requirements.

Section 7.4.5—Spacing requirements for stud shear connectors was clarified.

Table 7.1—Type B stud diameter was added to Note b.

Annexes—Annexes were renumbered (see page 276).

Annex III—Content was moved to Section 4, Part D.

Annex IV—Annex on WPS Requirements was deleted.

Annex I, Table I.2—A new note was added to clarify table's intent.

Annex A—Content was moved to commentary, C-3.2.1.

Annex M—Annex on code approved base metals was moved into Section 4 of the code.

Section C-4.7—New commentary was added to this section.

AWS B4.0, *Standard Methods for Mechanical Testing of Welds*, provides additional details of test specimen preparation and details of test fixture construction.

Commentary. The Commentary is nonmandatory and is intended only to provide insightful information into provision rationale.

Normative Annexes. These annexes address specific subjects in the code and their requirements are mandatory requirements that supplement the code provisions.

Informative Annexes. These annexes are not code requirements but are provided to clarify code provisions by showing examples, providing information, or suggesting alternative good practices.

Index. As in previous codes, the entries in the Index are referred to by subsection number rather than by page number. This should enable the user of the Index to locate a particular item of interest in minimum time.

Errata. It is the Structural Welding Committee's Policy that all errata should be made available to users of the code. Therefore, in the Society News Section of the *AWS Welding Journal*, any errata (major changes) that have been noted will be published in the July and November issues of the *Welding Journal* and posted on the AWS web site at: <http://www.aws.org/technical/d1/>.

Suggestions. Your comments for improving AWS D1.1/D1.1M:2006, *Structural Welding Code—Steel* are welcome. Submit comments to the Managing Director, Technical Services Division, American Welding Society, 550 N.W. LeJeune Road, Miami, FL 33126; telephone (305) 443-9353; fax (305) 443-5951; e-mail info@aws.org; or via the AWS web site <<http://www.aws.org>>.

Interpretations. Official interpretations of any of the technical requirements of this standard may only be obtained by sending a request, in writing, to the Managing Director, Technical Services, American Welding Society. A formal reply will be issued after it has been reviewed by the appropriate personnel following established procedures (see Annex O).

Table of Contents

	Page No.
<i>Personnel</i>	v
<i>Foreword</i>	xi
<i>List of Tables</i>	xviii
<i>List of Figures</i>	xx
1. General Requirements	1
1.1 Scope.....	1
1.2 Limitations.....	1
1.3 Definitions.....	1
1.4 Responsibilities.....	2
1.5 Approval.....	2
1.6 Welding Symbols.....	3
1.7 Safety Precautions.....	3
1.8 Standard Units of Measurement.....	3
1.9 Reference Documents.....	3
2. Design of Welded Connections	5
2.0 Scope of Section 2.....	5
Part A—Common Requirements for Design of Welded Connections (Nontubular and Tubular Members).....	5
2.1 Scope of Part A.....	5
2.2 Contract Plans and Specifications.....	5
2.3 Effective Areas.....	6
Part B—Specific Requirements for Design of Nontubular Connections (Statically or Cyclically Loaded).....	8
2.4 General.....	8
2.5 Stresses.....	8
2.6 Joint Configuration and Details.....	9
2.7 Joint Configuration and Details—Groove Welds.....	10
2.8 Joint Configuration and Details—Fillet Welded Joints.....	10
2.9 Joint Configuration and Details—Plug and Slot Welds.....	11
2.10 Filler Plates.....	11
2.11 Built-Up Members.....	11
Part C—Specific Requirements for Design of Nontubular Connections (Cyclically Loaded).....	12
2.12 General.....	12
2.13 Limitations.....	12
2.14 Calculation of Stresses.....	12
2.15 Allowable Stresses and Stress Ranges.....	12
2.16 Detailing, Fabrication, and Erection.....	14
2.17 Prohibited Joints and Welds.....	14
2.18 Inspection.....	15
Part D—Specific Requirements for Design of Tubular Connections (Statically or Cyclically Loaded).....	15
2.19 General.....	15
2.20 Allowable Stresses.....	15
2.21 Identification.....	16
2.22 Symbols.....	16

2.23	Weld Design.....	16
2.24	Limitations of the Strength of Welded Connections.....	17
2.25	Thickness Transition.....	22
2.26	Material Limitations.....	22
3.	Prequalification of WPSs.....	57
3.1	Scope.....	57
3.2	Welding Processes.....	57
3.3	Base Metal/Filler Metal Combinations.....	57
3.4	Engineer's Approval for Auxiliary Attachments.....	58
3.5	Minimum Preheat and Interpass Temperature Requirements.....	58
3.6	Limitation of WPS Variables.....	58
3.7	General WPS Requirements.....	58
3.8	Common Requirements for Parallel Electrode and Multiple Electrode SAW.....	59
3.9	Fillet Weld Requirements.....	59
3.10	Plug and Slot Weld Requirements.....	59
3.11	Common Requirements of PJP and CJP Groove Welds.....	59
3.12	PJP Requirements.....	59
3.13	CJP Groove Weld Requirements.....	60
3.14	Postweld Heat Treatment.....	61
4.	Qualification.....	121
4.0	Scope.....	121
	Part A—General Requirements.....	121
4.1	General.....	121
4.2	Common Requirements for WPS and Welding Personnel Performance Qualification.....	122
	Part B—Welding Procedure Specification (WPS).....	122
4.3	Production Welding Positions Qualified.....	122
4.4	Type of Qualification Tests.....	122
4.5	Weld Types for WPS Qualification.....	122
4.6	Preparation of WPS.....	122
4.7	Essential Variables.....	123
4.8	Methods of Testing and Acceptance Criteria for WPS Qualification.....	123
4.9	CJP Groove Welds for Nontubular Connections.....	125
4.10	PJP Groove Welds for Nontubular Connections.....	125
4.11	Fillet Welds for Tubular and Nontubular Connections.....	125
4.12	CJP Groove Welds for Tubular Connections.....	126
4.13	PJP Tubular T-, Y-, or K-Connections and Butt Joints.....	127
4.14	Plug and Slot Welds for Tubular and Nontubular Connections.....	127
4.15	Welding Processes Requiring Qualification.....	127
4.16	WPS Requirement (GTAW).....	127
4.17	WPS Requirements (ESW/EGW).....	127
	Part C—Performance Qualification.....	128
4.18	General.....	128
4.19	Type of Qualification Tests Required.....	128
4.20	Weld Types for Welder and Welding Operator Performance Qualification.....	128
4.21	Preparation of Performance Qualification Forms.....	129
4.22	Essential Variables.....	129
4.23	CJP Groove Welds for Nontubular Connections.....	129
4.24	PJP Groove Welds for Nontubular Connections.....	129
4.25	Fillet Welds for Nontubular Connections.....	129

4.26	CJP Groove Welds for Tubular Connections	129
4.27	PJP Groove Welds for Tubular Connections	130
4.28	Fillet Welds for Tubular Connections	130
4.29	Plug and Slot Welds for Tubular and Nontubular Connections.....	130
4.30	Methods of Testing and Acceptance Criteria for Welder and Welding Operator Qualification	130
4.31	Method of Testing and Acceptance Criteria for Tack Welder Qualification.....	131
4.32	Retest.....	131
Part D—Requirements for CVN Testing		131
4.33	General	131
4.34	Test Locations	132
4.35	CVN Tests	132
4.36	Test Requirements.....	132
4.37	Retest.....	133
4.38	Reporting.....	133
5.	Fabrication.....	189
5.1	Scope.....	189
5.2	Base Metal.....	189
5.3	Welding Consumables and Electrode Requirements	189
5.4	ESW and EGW Processes	191
5.5	WPS Variables	191
5.6	Preheat and Interpass Temperatures	191
5.7	Heat Input Control for Quenched and Tempered Steels	192
5.8	Stress-Relief Heat Treatment	192
5.9	Backing, Backing Gas, or Inserts.....	192
5.10	Backing	193
5.11	Welding and Cutting Equipment.....	193
5.12	Welding Environment	193
5.13	Conformance with Design	193
5.14	Minimum Fillet Weld Sizes	193
5.15	Preparation of Base Metal.....	194
5.16	Reentrant Corners	195
5.17	Beam Copes and Weld Access Holes	195
5.18	Temporary and Tack Welds.....	196
5.19	Camber in Built-Up Members.....	196
5.20	Splices in Cyclically Loaded Structures	196
5.21	Control of Distortion and Shrinkage.....	196
5.22	Tolerance of Joint Dimensions	197
5.23	Dimensional Tolerance of Welded Structural Members.....	198
5.24	Weld Profiles.....	200
5.25	Technique for Plug and Slot Welds	200
5.26	Repairs	201
5.27	Peening.....	202
5.28	Caulking.....	202
5.29	Arc Strikes.....	202
5.30	Weld Cleaning.....	202
5.31	Weld Tabs	202
6.	Inspection.....	209
Part A—General Requirements.....		209
6.1	Scope.....	209
6.2	Inspection of Materials <u>and Equipment</u>	210

	Page No.
6.3 Inspection of WPSs.....	210
6.4 Inspection of Welder, Welding Operator, and Tack Welder Qualifications.....	210
6.5 Inspection of Work and Records.....	210
Part B—Contractor Responsibilities	211
6.6 Obligations of the Contractor.....	211
Part C—Acceptance Criteria	211
6.7 Scope.....	211
6.8 Engineer’s Approval for Alternate Acceptance Criteria.....	211
6.9 Visual Inspection.....	211
6.10 PT and MT	211
6.11 NDT	212
6.12 RT.....	212
6.13 UT	213
Part D—NDT Procedures	214
6.14 Procedures	214
6.15 Extent of Testing.....	215
Part E—Radiographic Testing (RT).....	215
6.16 RT of Groove Welds in Butt Joints.....	215
6.17 RT Procedures.....	215
6.18 Supplementary RT Requirements for Tubular Connections.....	217
6.19 Examination, Report, and Disposition of Radiographs.....	218
Part F—Ultrasonic Testing (UT) of Groove Welds	218
6.20 General.....	218
6.21 Qualification Requirements	218
6.22 UT Equipment.....	218
6.23 Reference Standards.....	219
6.24 Equipment Qualification	219
6.25 Calibration for Testing	220
6.26 Testing Procedures	220
6.27 UT of Tubular T-, Y-, and K-Connections	222
6.28 Preparation and Disposition of Reports	223
6.29 Calibration of the UT Unit with IIW or Other Approved Reference Blocks (Annex H)	223
6.30 Equipment Qualification Procedures	224
6.31 Discontinuity Size Evaluation Procedures.....	226
6.32 Scanning Patterns	226
6.33 Examples of dB Accuracy Certification	226
Part G—Other Examination Methods	226
6.34 General Requirements.....	226
6.35 Radiation Imaging Systems	227
<u>6.36 Advanced Ultrasonic Systems</u>	<u>227</u>
<u>6.37 Additional Requirements</u>	<u>227</u>
7. Stud Welding	265
7.1 Scope.....	265
7.2 General Requirements.....	265
7.3 Mechanical Requirements.....	266
7.4 Workmanship.....	266
7.5 Technique.....	266
7.6 Stud Application Qualification Requirements	267

Page No.

7.7	Production Control	268
7.8	Fabrication and Verification Inspection Requirements	269
8.	Strengthening and Repairing Existing Structures	273
8.1	General	273
8.2	Base Metal.....	273
8.3	Design for Strengthening and Repair	273
8.4	Fatigue Life Enhancement	273
8.5	Workmanship and Technique	274
8.6	Quality	274
<i>Annexes</i>		275
<u>Cross Reference for Renumbered Annexes from the 2004 Code to the 2006 Code</u>		276
Annex A	(Normative)—Effective Throat.....	277
Annex B	(Normative)—Effective Throats of Fillet Welds in Skewed T-Joints	279
Annex C	(Normative)—Weld Quality Requirements for Tension Joints in Cyclically Loaded Structures	281
Annex D	(Normative)—Flatness of Girder Webs—Statically Loaded Structures	283
Annex E	(Normative)—Flatness of Girder Webs—Cyclically Loaded Structures	287
Annex F	(Normative)—Temperature-Moisture Content Charts	293
Annex G	(Normative)—Manufacturers’ Stud Base Qualification Requirements	297
Annex H	(Normative)—Qualification and Calibration of UT Units with Other Approved Reference Blocks	301
Annex I	(Normative)—Guideline on Alternative Methods for Determining Preheat.....	305
Annex J	(Normative)—Symbols for Tubular Connection Weld Design	315
Annex K	(Informative)—Terms and Definitions	317
Annex L	(Informative)—Guide for Specification Writers.....	325
Annex M	(Informative)—UT Equipment Qualification and Inspection Forms	327
Annex N	(Informative)—Sample Welding Forms	337
Annex O	(Informative)—Guidelines for the Preparation of Technical Inquiries for the Structural Welding Committee.....	349
Annex P	(Informative)—Local Dihedral Angle	351
Annex Q	(Informative)—Contents of Prequalified WPS.....	357
Annex R	(Informative)—Safe Practices.....	359
Annex S	(Informative)—UT Examination of Welds by Alternative Techniques	363
Annex T	(Informative)—Ovalizing Parameter Alpha	379
Annex U	(Informative)—List of Reference Documents.....	381
Annex V	(Informative)—Filler Metal Strength Properties	383
<i>Commentary</i>		389
Foreword.....		391
Index		491
List of AWS Documents on Structural Welding		503

List of Tables

Table	Page No.
2.1	Effective Size of Flare-Groove Welds <u>Filled Flush</u> 23
2.2	Z Loss Dimension (Nontubular) 23
2.3	Allowable Stresses 24
2.4	Fatigue Stress Design Parameters 25
2.5	Allowable Stresses in Tubular Connection Welds 35
2.6	Stress Categories for Type and Location of Material for Circular Sections 37
2.7	Fatigue Category Limitations on Weld Size or Thickness and Weld Profile (Tubular Connections) 39
2.8	Z Loss Dimensions for Calculating Prequalified PJP T-, Y-, and K-Tubular Connection Minimum Weld Sizes 39
2.9	Terms for Strength of Connections (Circular Sections) 40
3.1	Prequalified Base Metal—Filler Metal Combinations for Matching Strength 62
3.2	Prequalified Minimum Preheat and Interpass Temperature 66
3.3	Filler Metal Requirements for Exposed Bare Applications of Weathering Steels 69
3.4	Minimum Prequalified PJP Weld Size (E) 69
3.5	Joint Detail Applications for Prequalified CJP T-, Y-, and K-Tubular Connections 69
3.6	Prequalified Joint Dimensions and Groove Angles for CJP Groove Welds in Tubular T-, Y, and K-Connections Made by SMAW, GMAW-S, and FCAW 70
3.7	Prequalified WPS Requirements 71
4.1	WPS Qualification—Production Welding Positions Qualified by Plate, Pipe, and Box Tube Tests 134
4.2	WPS Qualification—CJP Groove Welds: Number and Type of Test Specimens and Range of Thickness and Diameter Qualified 135
4.3	Number and Type of Test Specimens and Range of Thickness Qualified—WPS Qualification; PJP Groove Welds 137
4.4	Number and Type of Test Specimens and Range of Thickness Qualified—WPS Qualification; Fillet Welds 137
4.5	PQR Essential Variable Changes Requiring WPS Requalification for SMAW, SAW, GMAW, FCAW, and GTAW 138
4.6	PQR Supplementary Essential Variable Changes for CVN Testing Applications Requiring WPS Requalification for SMAW, SAW, GMAW, FCAW, and GTAW 141
4.7	PQR Essential Variable Changes Requiring WPS Requalification for ESW or EGW 142
4.8	Table 3.1, <u>Table 4.9</u> , and Unlisted Steels Qualified by PQR 143
4.9	<u>Code-Approved Base Metals and Filler Metals Requiring Qualification per Section 4</u> 144
4.10	<u>Welder and Welding Operator Qualification—Production Welding Positions Qualified by Plate, Pipe, and Box Tube Tests</u> 145
4.11	<u>Welder and Welding Operator Qualification—Number and Type of Specimens and Range of Thickness and Diameter Qualified</u> 146
4.12	<u>Welding Personnel Performance Essential Variable Changes Requiring Requalification</u> 150
4.13	<u>Electrode Classification Groups</u> 150
4.14	<u>CVN Test Requirements</u> 151
4.15	<u>CVN Test Temperature Reduction</u> 151
5.1	Allowable Atmospheric Exposure of Low-Hydrogen Electrodes 203
5.2	Minimum Holding Time 203
5.3	Alternate Stress-Relief Heat Treatment 203
5.4	Limits on Acceptability and Repair of Mill Induced Laminar Discontinuities in Cut Surfaces 203
5.5	Tubular Root Opening Tolerances 204

Table	Page No.
5.6	Camber Tolerance for Typical Girder.....204
5.7	Camber Tolerance for Girders without a Designed Concrete Haunch204
5.8	Minimum Fillet Weld Sizes204
6.1	Visual Inspection Acceptance Criteria.....229
6.2	UT Acceptance-Rejection Criteria (Statically Loaded Nontubular Connections).....230
6.3	UT Acceptance-Rejection Criteria (Cyclically Loaded Nontubular Connections)231
6.4	Hole-Type IQI Requirements.....232
6.5	Wire IQI Requirements232
6.6	IQI Selection and Placement.....233
6.7	Testing Angle.....234
7.1	Mechanical Property Requirements for Studs270
7.2	Minimum Fillet Weld Size for Small Diameter Studs270
<u>B.1</u>	Equivalent Fillet Weld Leg Size Factors for Skewed T-Joints280
<u>D.1</u>	Intermediate Stiffeners on Both Sides of Web.....284
<u>D.2</u>	No Intermediate Stiffeners284
<u>D.3</u>	Intermediate Stiffeners on One Side Only of Web285
<u>E.1</u>	Intermediate Stiffness on Both Sides of Web, Interior Girders288
<u>E.2</u>	Intermediate Stiffness on One Side Only of Web, Fascia Girders.....289
<u>E.3</u>	Intermediate Stiffness on One Side Only of Web, Interior Girders290
<u>E.4</u>	Intermediate Stiffness on Both Sides of Web, Fascia Girders291
<u>E.5</u>	No Intermediate Stiffeners, Interior or Fascia Girders291
<u>I.1</u>	Susceptibility Index Grouping as Function of Hydrogen Level “H” and Composition Parameter P_{cm}308
<u>I.2</u>	Minimum Preheat and Interpass Temperatures for Three Levels of Restraint308
<u>S.1</u>	Acceptance-Rejection Criteria377
<i>Commentary</i>	
C-2.1	Survey of Diameter/Thickness and Flat Width/Thickness Limits for Tubes.....412
C-2.2	Suggested Design Factors413
C-2.3	Values of JD.....413
C-2.4	Structural Steel Plates414
C-2.5	Structural Steel Pipe and Tubular Shapes415
C-2.6	Structural Steel Shapes.....415
C-2.7	Classification Matrix for Applications.....416
C-2.8	CVN Testing Conditions.....416
<u>C-3.1</u>	Typical Current Ranges for GMAW-S on Steel429
C-4.1	CVN Test Values439
C-4.2	HAZ CVN Test Values439
C-6.1	UT Acceptance Criteria for 2 in. [50 mm] Welding, Using a 70° Probe.....467
C-8.1	Guide to Welding Suitability478
C-8.2	Relationship Between Plate Thickness and Burr Radius478

List of Figures

Figure	Page No.
2.1	Maximum Fillet Weld Size Along Edges in Lap Joints..... 41
2.2	Transition of Butt Joints in Parts of Unequal Thickness (Nontubular)..... 42
2.3	Transition of Widths (Nontubular) 43
2.4	Transversely Loaded Fillet Welds 43
2.5	Minimum Length of Longitudinal Fillet Welds at End of Plate or Flat Bar Members..... 44
2.6	Termination of Welds Near Edges Subject to Tension..... 44
2.7	End Return at Flexible Connections 45
2.8	Fillet Welds on Opposite Sides of a Common Plane 45
2.9	Thin Filler Plates in Splice Joint 46
2.10	Thick Filler Plates in Splice Joint 46
2.11	Allowable Stress Range for Cyclically Applied Load (Fatigue) in Nontubular Connections (Graphical Plot of Table 2.4) 47
2.12	Transition of Width (Cyclically Loaded Nontubular)..... 48
2.13	Allowable Fatigue Stress and Strain Ranges for Stress Categories (see Table 2.6), Redundant Tubular Structures for Atmospheric Service 48
2.14	Parts of a Tubular Connection 49
2.15	Fillet Welded Lap Joint (Tubular) 52
2.16	Tubular T-, Y-, and K-Connection Fillet Weld Footprint Radius 52
2.17	Punching Shear Stress..... 53
2.18	Detail of Overlapping Joint..... 53
2.19	Limitations for Box T-, Y-, and K-Connections..... 54
2.20	Overlapping K-Connections 54
2.21	Transition of Thickness of Butt Joints in Parts of Unequal Thickness (Tubular)..... 55
3.1	Weld Bead in which Depth and Width Exceed the Width of the Weld Face 72
3.2	Fillet Welded Prequalified Tubular Joints Made by SMAW, GMAW, and FCAW 72
3.3	Prequalified PJP Groove Welded Joint Details (Dimensions in Millimeters) 74
3.4	Prequalified CJP Groove Welded Joint Details (Dimensions in Inches)..... 90
3.5	Prequalified Joint Details for PJP T-, Y-, and K-Tubular Connections..... 112
3.6	Prequalified Joint Details for CJP T-, Y-, and K-Tubular Connections 115
3.7	Definitions and Detailed Selections for Prequalified CJP T-, Y-, and K-Tubular Connections..... 116
3.8	Prequalified Joint Details for CJP Groove Welds in Tubular T-, Y-, and K-Connections— Standard Flat Profiles for Limited Thickness 117
3.9	Prequalified Joint Details for CJP Groove Welds in Tubular T-, Y-, and K-Connections— Profile with Toe Fillet for Intermediate Thickness 118
3.10	Prequalified Joint Details for CJP Groove Welds in Tubular T-, Y-, and K-Connections— Concave Improved Profile for Heavy Sections or Fatigue 119
3.11	Prequalified Skewed T-Joint Details (Nontubular)..... 120
4.1	Positions of Groove Welds 152
4.2	Positions of Fillet Welds 153
4.3	Positions of Test Plates for Groove Welds 154
4.4	Positions of Test Pipe or Tubing for Groove Welds..... 155
4.5	Positions of Test Plate for Fillet Welds 156
4.6	Positions of Test Pipes or Tubing for Fillet Welds 157
4.7	Location of Test Specimens on Welded Test Pipe 158
4.8	Location of Test Specimens for Welded Box Tubing..... 159

Figure	Page No.
4.9	Location of Test Specimens on Welded Test Plates—ESW and EGW—WPS Qualification 160
4.10	Location of Test Specimens on Welded Test Plate Over 3/8 in. [10 mm] Thick—WPS Qualification ... 161
4.11	Location of Test Specimens on Welded Test Plate 3/8 in. [10 mm] Thick and Under— WPS Qualification 162
4.12	Face and Root Bend Specimens 163
4.13	Side Bend Specimens 164
4.14	Reduced-Section Tension Specimens 165
4.15	Guided Bend Test Jig 166
4.16	Alternative Wraparound Guided Bend Test Jig 167
4.17	Alternative Roller-Equipped Guided Bend Test Jig for Bottom Ejection of Test Specimen 167
4.18	All-Weld-Metal Tension Specimen 168
4.19	Fillet Weld Soundness Tests for WPS Qualification 169
4.20	Pipe Fillet Weld Soundness Test—WPS Qualification 170
4.21	Test Plate for Unlimited Thickness—Welder Qualification 171
4.22	Test Plate for Unlimited Thickness—Welding Operator Qualification 171
4.23	Location of Test Specimen on Welded Test Plate 1 in. [25 mm] Thick—Consumables Verification for Fillet Weld WPS Qualification 172
4.24	Tubular Butt Joint—Welder or WPS Qualification—without Backing 173
4.25	Tubular Butt Joint—WPS Qualification with and without Backing 173
4.26	Acute Angle Heel Test (Restraints not Shown) 174
4.27	Test Joint for T-, Y-, and K-Connections without Backing on Pipe or Box Tubing—Welder and WPS Qualification 175
<u>4.28</u>	<u>Test Joint for T-, Y-, and K-Connections without Backing on Pipe or Box Tubing</u> <u>(<4 in. [100 mm] O.D.)—Welder and WPS Qualification</u> 176
<u>4.29</u>	<u>Corner Macroetch Test Joint for T-, Y-, and K-Connections without Backing on Box Tubing</u> <u>for CJP Groove Welds—Welder and WPS Qualification</u> 177
<u>4.30</u>	<u>Optional Test Plate for Unlimited Thickness—Horizontal Position—Welder Qualification</u> 178
<u>4.31</u>	<u>Test Plate for Limited Thickness—All Positions—Welder Qualification</u> 179
<u>4.32</u>	<u>Optional Test Plate for Limited Thickness—Horizontal Position—Welder Qualification</u> 180
<u>4.33</u>	<u>Fillet Weld Root Bend Test Plate—Welder or Welding Operator Qualification—Option 2</u> 181
<u>4.34</u>	<u>Location of Test Specimens on Welded Test Pipe and Box Tubing—Welder Qualification</u> 182
<u>4.35</u>	<u>Method of Rupturing Specimen—Tack Welder Qualification</u> 183
<u>4.36</u>	<u>Butt Joint for Welding Operator Qualification—ESW and EGW</u> 183
<u>4.37</u>	<u>Fillet Weld Break and Macroetch Test Plate—Welder or Welding Operator Qualification—</u> <u>Option 1</u> 184
<u>4.38</u>	<u>Plug Weld Macroetch Test Plate—Welding Operator or Welder Qualification</u> 185
<u>4.39</u>	<u>Fillet Weld Break Specimen—Tack Welder Qualification</u> 186
<u>4.40</u>	<u>CVN Test Specimen Locations</u> 187
5.1	Edge Discontinuities in Cut Material 205
5.2	Weld Access Hole Geometry 206
5.3	Workmanship Tolerances in Assembly of Groove Welded Joints 207
5.4	Acceptable and Unacceptable Weld Profiles 208
6.1	Weld Quality Requirements for Elongated Discontinuities as Determined by RT for Statically Loaded Nontubular Structures 237
6.2	Maximum Acceptable RT Images per 6.12.3.1 238
6.3	For RT of Tubular Joints 1-1/8 in. [30 mm] and Greater, Typical of Random Acceptable Discontinuities 239
6.4	Weld Quality Requirements for Discontinuities Occurring in Cyclically Loaded Nontubular Tension Welds (Limitations of Porosity and Fusion Discontinuities) 240
6.5	Weld Quality Requirements for Discontinuities Occurring in Cyclically Loaded Nontubular Compression Welds (Limitations of Porosity or Fusion-Type Discontinuities) 241
6.6	Weld Quality Requirements for Elongated Discontinuities as Determined by RT of Tubular Joints 242
6.7	Class R Indications 247

Figure	Page No.
6.8	Class X Indications 249
6.9	Hole-Type IQI 250
6.10	Wire IQI 251
6.11	RT Identification and Hole-Type or Wire IQI Locations on Approximately Equal Thickness Joints 10 in. [250 mm] and Greater in Length 252
6.12	RT Identification and Hole-Type or Wire IQI Locations on Approximately Equal Thickness Joints Less than 10 in. [250 mm] in Length 253
6.13	RT Identification and Hole-Type or Wire IQI Locations on Transition Joints 10 in. [250 mm] and Greater in Length 254
6.14	RT Identification and Hole-Type or Wire IQI Locations on Transition Joints Less than 10 in. [250 mm] in Length 255
6.15	RT Edge Blocks 255
6.16	Single-Wall Exposure—Single-Wall View 256
6.17	Double-Wall Exposure—Single-Wall View 256
6.18	Double-Wall Exposure—Double-Wall (Elliptical) View, Minimum Two Exposures 257
6.19	Double-Wall Exposure—Double-Wall View, Minimum Three Exposures 257
6.20	Transducer Crystal 258
6.21	Qualification Procedure of Search Unit Using IIW Reference Block 258
6.22	International Institute of Welding (IIW) UT Reference Blocks 259
6.23	Qualification Blocks 260
6.24	Plan View of UT Scanning Patterns 262
6.25	Scanning Techniques 263
6.26	Transducer Positions (Typical) 264
7.1	Dimension and Tolerances of Standard-Type Shear Connectors 271
7.2	Typical Tension Test Fixture 271
7.3	Torque Testing Arrangement and Table of Testing Torques 272
<u>F.1</u>	Temperature-Moisture Content Chart to be Used in Conjunction with Testing Program to Determine Extended Atmospheric Exposure Time of Low-Hydrogen SMAW Electrodes 294
<u>F.2</u>	Application of Temperature-Moisture Content Chart in Determining Atmospheric Exposure Time of Low-Hydrogen SMAW Electrodes 295
<u>G.1</u>	Bend Testing Device 299
<u>G.2</u>	Suggested Type of Device for Qualification Testing of Small Studs 299
<u>H.1</u>	Other Approved Blocks and Typical Transducer Position 303
<u>I.1</u>	Zone Classification of Steels 310
<u>I.2</u>	Critical Cooling Rate for 350 VH and 400 VH 310
<u>I.3</u>	Graphs to Determine Cooling Rates for Single-Pass SAW Fillet Welds 311
<u>I.4</u>	Relation Between Fillet Weld Size and Energy Input 314
<u>S.1</u>	Standard Reference Reflector 368
<u>S.2</u>	Recommended Calibration Block 368
<u>S.3</u>	Typical Standard Reflector (Located in Weld Mock-Ups and Production Welds) 369
<u>S.4</u>	Transfer Correction 370
<u>S.5</u>	Compression Wave Depth (Horizontal Sweep Calibration) 370
<u>S.6</u>	Compression Wave Sensitivity Calibration 371
<u>S.7</u>	Shear Wave Distance and Sensitivity Calibration 371
<u>S.8</u>	Scanning Methods 372
<u>S.9</u>	Spherical Discontinuity Characteristics 373
<u>S.10</u>	Cylindrical Discontinuity Characteristics 373
<u>S.11</u>	Planar Discontinuity Characteristics 374
<u>S.12</u>	Discontinuity Height Dimension 374
<u>S.13</u>	Discontinuity Length Dimension 375
<u>S.14</u>	Display Screen Marking 375
<u>S.15</u>	Report of UT (Alternative Procedure) 376
<u>T.1</u>	Definition of Terms for Computed Alpha 379

Figure	Page No.
<i>Commentary</i>	
C-2.1	Balancing of Fillet Welds About a Neutral Axis417
C-2.2	Shear Planes for Fillet and Groove Welds417
C-2.3	Eccentric Loading418
C-2.4	Load Deformation Relationship for Welds418
C-2.5	Single Fillet Welded Lap Joints418
C-2.6	Illustrations of Branch Member Stresses Corresponding to Mode of Loading418
C-2.7	Improved Weld Profile Requirements419
C-2.8	Simplified Concept of Punching Shear419
C-2.9	Reliability of Punching Shear Criteria Using Computed Alpha420
C-2.10	Transition Between Gap and Overlap Connections421
C-2.11	Upper Bound Theorem.....421
C-2.12	Yield Line Patterns.....422
C-3.1	<u>Oscillograms and Sketches of GMAW-S Metal Transfer</u>429
C-3.2	Examples of Centerline Cracking430
C-3.3	Details of Alternative Groove Preparations for Prequalified Corner Joints430
C-4.1	Type of Welding on Pipe That Does Not Require Pipe Qualification.....439
C-5.1	Examples of Unacceptable Reentrant Corners.....449
C-5.2	Examples of Good Practice for Cutting Copes449
C-5.3	Permissible Offset in Abutting Members.....450
C-5.4	Correction of Misaligned Members450
C-5.5	Typical Method to Determine Variations in Girder Web Flatness451
C-5.6	Illustration Showing Camber Measurement Methods452
C-5.7	Measurement of Flange Warpage and Tilt.....453
C-5.8	Tolerances at Bearing Points.....454
C-6.1	90° T- or Corner Joints with Steel Backing468
C-6.2	Skewed T- or Corner Joints468
C-6.3	Butt Joints with Separation Between Backing and Joint469
C-6.4	Effect of Root Opening on Butt Joints with Steel Backing469
C-6.5	Scanning with Seal Welded Steel Backing470
C-6.6	Resolutions for Scanning with Seal Welded Steel Backing470
C-8.1	Microscopic Intrusions.....479
C-8.2	Fatigue Life479
C-8.3	Toe Dressing with Burr Grinder480
C-8.4	Toe Dressing Normal to Stress480
C-8.5	Effective Toe Grinding481
C-8.6	End Grinding.....481
C-8.7	Hammer Peening.....482
C-8.8	Toe Remelting.....483

Structural Welding Code—Steel

1. General Requirements

1.1 Scope

This code contains the requirements for fabricating and erecting welded steel structures. When this code is stipulated in contract documents, conformance with all provisions of the code shall be required, except for those provisions that the Engineer (see 1.4.1) or contract documents specifically modifies or exempts.

The following is a summary of the code sections:

1. General Requirements. This section contains basic information on the scope and limitations of the code, key definitions, and the major responsibilities of the parties involved with steel fabrication.

2. Design of Welded Connections. This section contains requirements for the design of welded connections composed of tubular, or nontubular, product form members.

3. Prequalification. This section contains the requirements for exempting a WPS (Welding Procedure Specification) from the WPS qualification requirements of this code.

4. Qualification. This section contains the requirements for WPS qualification and the qualification tests required to be passed by all welding personnel (welders, welding operators, and tack welders) to perform welding in accordance with this code.

5. Fabrication. This section contains general fabrication and erection requirements applicable to welded steel structures governed by this code, including the requirements for base metals, welding consumables, welding technique, welded details, material preparation and assembly, workmanship, weld repair, and other requirements.

6. Inspection. This section contains criteria for the qualifications and responsibilities of inspectors, acceptance criteria for production welds, and standard procedures for performing visual inspection and NDT (nondestructive testing).

7. Stud Welding. This section contains the requirement for the welding of studs to structural steel.

8. Strengthening and Repair of Existing Structures. This section contains basic information pertinent to the welded modification or repair of existing steel structures.

1.2 Limitations

The code is not intended to be used for the following:

(1) Steels with a minimum specified yield strength greater than 100 ksi [690 MPa]

(2) Steels less than 1/8 in. [3 mm] thick. When base metals thinner than 1/8 in. [3 mm] thick are to be welded, the requirements of AWS D1.3, *Structural Welding Code—Sheet Steel*, should apply. When used in conjunction with AWS D1.3, conformance with the applicable provisions of this code shall be required.

(3) Pressure vessels or pressure piping

(4) Base metals other than carbon or low-alloy steels. AWS D1.6, *Structural Welding Code—Stainless Steel*, should be used for welding stainless steel structures. Whenever contract documents specify AWS D1.1 for welding stainless steel, the requirements of AWS D1.6 should apply.

1.3 Definitions

The welding terms used in this code shall be interpreted in conformance with the definitions given in the latest edition of AWS A3.0, *Standard Welding Terms and Definitions*, supplemented by Annex K of this code and the following definitions:

1.3.1 Engineer. “Engineer” shall be defined as a duly designated individual who acts for, and in behalf of, the Owner on all matters within the scope of the code.

1.3.2 Contractor. “Contractor” shall be defined as any company, or that individual representing a company,